

Indexes to CORROSION

Vol. 51, Nos. 1-12 (1995)

Title Index

January (No. 1)

- Effects of Alloying Additions on Corrosion and Passivation Behaviors of Type 304 Stainless Steel
A.A. Hermas, K. Ogura, S. Takagi, and T. Adachi 3
- Irradiation Effects on the Electrochemistry and Corrosion Resistance of Stainless Steel
S.M. Bruemmer, B.W. Arey, J.I. Cole, and C.F. Windisch Jr. 11
- Enhanced Pitting Corrosion Resistance of Aluminum Alloy 7075 in the Presence of Oxalate Anions
L. Kobotziatis, C. Tsirikas, and P.G. Koutsoukos 19
- Hydrogen Embrittlement Interactions in Cold-Worked Steel
H. Huang and W.J.D. Shaw 30
- Relationship Between Radical Scavenging Effects and Anticorrosive Properties of Polyphenols
J. Gust and I. Wauer 37
- Mechanism of Iron Inhibition by Stearic Acid Langmuir-Blodgett Monolayers
W. Xing, Y. Shan, D. Guo, T. Lu, and S. Xi 45
- Intergranular Corrosion of an Aluminum-Magnesium-Silicon-Copper Alloy
T.D. Burleigh, E. Ludwiczak, and R.A. Petri 50
- Effect of Biofilms on Crevice Corrosion of Stainless Steels in Coastal Seawater
H.-J. Zhang and S.C. Dexter 56
- Characterization of Tellurium-Based Conversion Coatings by X-Ray Absorption Near-Edge Structure and Fourier Transform Infrared Spectroscopy
S. Shah, A. Ward, and A.J. Davenport 67
- Review: Replacements for Chromium Pretreatments on Aluminum
S.M. Cohen 71
- Effect of Current Distribution on Corrosion Rate Measurements in Reinforced Concrete
S. Feliu, J.A. González, and C. Andrade 79

February (No. 2)

- Stress Corrosion Cracking of X-60 Line Pipe Steel in a Carbonate-Bicarbonate Solution
A.K. Pilkey, S.B. Lambert, and A. Plumtree 91
- Evaluation of Corrosive Degradation in Coated Steel Using Alternating Current Impedance Spectroscopy
D.F. Wei, I. Chatterjee, and D.A. Jones 97
- Method for Determining the Faradaic Impedance of an Electrode Reaction: Application to Metal Corrosion Rate Measurements
F. Berthier, J.-P. Diard, B. Le Gorrec, and C. Montella 105
- Heterogeneous Reaction Between Steel and Zinc Phosphate
R. Romagnoli and V.F. Vetere 116
- Thioacetamide as an Activator for the Potentiodynamic Reactivation Method in Evaluating Susceptibility of Type 304L Stainless Steel to Intergranular Corrosion
Z. Fang, L. Zhang, Y.S. Wu, J.Q. Li, D.B. Sun, G. Jiang, and Z.M. Cui 124
- Noise Analysis Applied to Electrochemical Systems
U. Bertocci and F. Huet 131
- Suitability of Assessment Methods for Identifying Active and Passive Zones in Reinforced Concrete
J.A. González, M. Benito, S. Feliu, P. Rodríguez, and C. Andrade 145
- Method for On-Line Determination of Underdeposit Corrosion Rates in Cooling Water Systems
B. Yang 153

March (No. 3)

- Galvanostatic, Crevice Stress Corrosion Test for Austenitic Stainless Steels in Hot Chloride Solution
M.I. Suleiman and R.C. Newman 171
- Potential-pH Diagrams of Stress Effects on Occluded Cell Corrosion Inside Stress Corrosion Cracks
J.Y. Zuo, M. Pourbaix, Y.P. Liu, and C.C. Xu 177

- Effect of Sulfate Ions on Corrosion Inhibition of AA 7075 Aluminum Alloy in Sodium Chloride Solutions
T.I. Wu and J.K. Wu 185
- Cyclic Oxidation Plus Carburization of Heat-Resistant Alloys
M.A. Harper, M. Ducasse, and D.J. Young 191
- Nonlinear Group-Contribution Models of Corrosion Inhibition
I. Lukovits, E. Kálmán, and G. Pálincás 201
- Photocorrosion of Passive Films on Titanium in Sulfuric Acid
M. Mikula, M. Čepčan, and J. Panák 206
- Pitting Corrosion of Passivated β -Tin Monocrystals
R. Guo, F. Weinberg, and D. Tromans 212
- Crack Tip Microsampling and Growth Rate Measurements in Low-Alloy Steel in High-Temperature Water
P.L. Andresen and L.M. Young 223
- Corrosion Characteristics of the Iron-Aluminum Alloy Layer and the Welding Zone of Aluminum-Coated Steel in Hydrogen Sulfide
L. Yajiang and Z. Yonglan 234
- Corrosion Performance and Application Limits of Corrosion-Resistant Alloys in Oilfield Service
A. Miyasaka and H. Ogawa 239

April (No. 4)

- Using Local Electrochemical Impedance Spectroscopy to Examine Coating Failure
R.S. Lillard, J. Kruger, W.S. Tait, and P.J. Moran 251
- Corrosion of Carbon Steel in Carbon Dioxide-Saturated Solutions Containing Small Amounts of Hydrogen Sulfide
K. Videm and J. Kuarekvál 260
- Corrosion Science, Corrosion Engineering, and Advanced Technologies
R.M. Latanision 270
- Inhibitor Protection of Metals at the Corrosion Fatigue Crack Growth Stage
V.V. Panasyuk and L.V. Ratych 284
- Corrosion Monitoring System Based on Measurement and Analysis of Electrochemical Noise
A. Legat and V. Doleček 295
- A Solid-State Potentiometric Sensor for Monitoring Hydrogen in Commercial Pipeline Steel
D.R. Morris and L. Wan 301
- Corrosion Behavior of a High-Chromium Duplex Stainless Steel with Minor Additions of Ruthenium in Sulfuric Acid
J.H. Potgieter and H.C. Brookes 312
- Influence of C16 Quaternary Amine on Surface Films and Polarization Resistance of Mild Steel in Carbon Dioxide-Saturated 5% Sodium Chloride
H. Malik 321

May (No. 5)

- Cavitation Corrosion Behavior of Cast Nickel-Aluminum Bronze in Seawater
A. Al-Hashem, P.G. Caceres, W.T. Ried, and H.M. Shalaby 331
- Effect of Complex Inclusions on Pit Initiation in 18% Chromium-8% Nickel Stainless Steel Types 303, 304, and 321
N.J.E. Dowling, C. Duret-Thual, G. Auclair, J.-P. Audouard, and P. Combrade 343
- Pitting Corrosion of Passivated Zinc Monocrystals
R. Guo, F. Weinberg, and D. Tromans 356
- Corrosion Inhibition of Copper with Benzotriazole and Other Organic Surfactants
Y. Ling, Y. Guan, and K.N. Han 367
- Technical Note: Effect of Specimen Thickness on Cracking Susceptibility of Alloy 600 in High-Temperature Water
R.B. Rebak and Z. Szklarska-Smialowska 376
- Surface Roughness and the Metastable Pitting of Stainless Steel in Chloride Solutions
G.T. Burstein and P.C. Pistorius 380

Indexes to CORROSION

Vol. 51, Nos. 1-12 (1995)

Title Index

January (No. 1)

- Effects of Alloying Additions on Corrosion and Passivation Behaviors of Type 304 Stainless Steel
A.A. Hermas, K. Ogura, S. Takagi, and T. Adachi 3
- Irradiation Effects on the Electrochemistry and Corrosion Resistance of Stainless Steel
S.M. Bruemmer, B.W. Arey, J.I. Cole, and C.F. Windisch Jr. 11
- Enhanced Pitting Corrosion Resistance of Aluminum Alloy 7075 in the Presence of Oxalate Anions
L. Kobotziatis, C. Tsirikas, and P.G. Koutsoukos 19
- Hydrogen Embrittlement Interactions in Cold-Worked Steel
H. Huang and W.J.D. Shaw 30
- Relationship Between Radical Scavenging Effects and Anticorrosive Properties of Polyphenols
J. Gust and I. Wauer 37
- Mechanism of Iron Inhibition by Stearic Acid Langmuir-Blodgett Monolayers
W. Xing, Y. Shan, D. Guo, T. Lu, and S. Xi 45
- Intergranular Corrosion of an Aluminum-Magnesium-Silicon-Copper Alloy
T.D. Burleigh, E. Ludwiczak, and R.A. Petri 50
- Effect of Biofilms on Crevice Corrosion of Stainless Steels in Coastal Seawater
H.-J. Zhang and S.C. Dexter 56
- Characterization of Tellurium-Based Conversion Coatings by X-Ray Absorption Near-Edge Structure and Fourier Transform Infrared Spectroscopy
S. Shah, A. Ward, and A.J. Davenport 67
- Review: Replacements for Chromium Pretreatments on Aluminum
S.M. Cohen 71
- Effect of Current Distribution on Corrosion Rate Measurements in Reinforced Concrete
S. Feliu, J.A. González, and C. Andrade 79

February (No. 2)

- Stress Corrosion Cracking of X-60 Line Pipe Steel in a Carbonate-Bicarbonate Solution
A.K. Pilkey, S.B. Lambert, and A. Plumtree 91
- Evaluation of Corrosive Degradation in Coated Steel Using Alternating Current Impedance Spectroscopy
D.F. Wei, I. Chatterjee, and D.A. Jones 97
- Method for Determining the Faradaic Impedance of an Electrode Reaction: Application to Metal Corrosion Rate Measurements
F. Berthier, J.-P. Diard, B. Le Gorrec, and C. Montella 105
- Heterogeneous Reaction Between Steel and Zinc Phosphate
R. Romagnoli and V.F. Vetere 116
- Thioacetamide as an Activator for the Potentiodynamic Reactivation Method in Evaluating Susceptibility of Type 304L Stainless Steel to Intergranular Corrosion
Z. Fang, L. Zhang, Y.S. Wu, J.Q. Li, D.B. Sun, G. Jiang, and Z.M. Cui 124
- Noise Analysis Applied to Electrochemical Systems
U. Bertocci and F. Huet 131
- Suitability of Assessment Methods for Identifying Active and Passive Zones in Reinforced Concrete
J.A. González, M. Benito, S. Feliu, P. Rodríguez, and C. Andrade 145
- Method for On-Line Determination of Underdeposit Corrosion Rates in Cooling Water Systems
B. Yang 153

March (No. 3)

- Galvanostatic, Crevice Stress Corrosion Test for Austenitic Stainless Steels in Hot Chloride Solution
M.I. Suleiman and R.C. Newman 171
- Potential-pH Diagrams of Stress Effects on Occluded Cell Corrosion Inside Stress Corrosion Cracks
J.Y. Zuo, M. Pourbaix, Y.P. Liu, and C.C. Xu 177

- Effect of Sulfate Ions on Corrosion Inhibition of AA 7075 Aluminum Alloy in Sodium Chloride Solutions
T.J. Wu and J.K. Wu 185
- Cyclic Oxidation Plus Carburization of Heat-Resistant Alloys
M.A. Harper, M. Ducasse, and D.J. Young 191
- Nonlinear Group-Contribution Models of Corrosion Inhibition
I. Lukovits, E. Kálmán, and G. Pálkás 201
- Photocorrosion of Passive Films on Titanium in Sulfuric Acid
M. Mikula, M. Čepčan, and J. Panák 206
- Pitting Corrosion of Passivated β -Tin Monocrystals
R. Guo, F. Weinberg, and D. Tromans 212
- Crack Tip Microsampling and Growth Rate Measurements in Low-Alloy Steel in High-Temperature Water
P.L. Andresen and L.M. Young 223
- Corrosion Characteristics of the Iron-Aluminum Alloy Layer and the Welding Zone of Aluminum-Coated Steel in Hydrogen Sulfide
L. Yajiang and Z. Yonglan 234
- Corrosion Performance and Application Limits of Corrosion-Resistant Alloys in Oilfield Service
A. Miyasaka and H. Ogawa 239

April (No. 4)

- Using Local Electrochemical Impedance Spectroscopy to Examine Coating Failure
R.S. Lillard, J. Kruger, W.S. Tait, and P.J. Moran 251
- Corrosion of Carbon Steel in Carbon Dioxide-Saturated Solutions Containing Small Amounts of Hydrogen Sulfide
K. Videm and J. Kuarekval 260
- Corrosion Science, Corrosion Engineering, and Advanced Technologies
R.M. Latanision 270
- Inhibitor Protection of Metals at the Corrosion Fatigue Crack Growth Stage
V.V. Panasyuk and L.V. Ratych 284
- Corrosion Monitoring System Based on Measurement and Analysis of Electrochemical Noise
A. Legat and V. Doleček 295
- A Solid-State Potentiometric Sensor for Monitoring Hydrogen in Commercial Pipeline Steel
D.R. Morris and L. Wan 301
- Corrosion Behavior of a High-Chromium Duplex Stainless Steel with Minor Additions of Ruthenium in Sulfuric Acid
J.H. Potgieter and H.C. Brookes 312
- Influence of C16 Quaternary Amine on Surface Films and Polarization Resistance of Mild Steel in Carbon Dioxide-Saturated 5% Sodium Chloride
H. Malik 321

May (No. 5)

- Cavitation Corrosion Behavior of Cast Nickel-Aluminum Bronze in Seawater
A. Al-Hashem, P.G. Caceres, W.T. Ried, and H.M. Shalaby 331
- Effect of Complex Inclusions on Pit Initiation in 18% Chromium-8% Nickel Stainless Steel Types 303, 304, and 321
N.J.E. Dowling, C. Duret-Thual, G. Auclair, J.-P. Audouard, and P. Combrade 343
- Pitting Corrosion of Passivated Zinc Monocrystals
R. Guo, F. Weinberg, and D. Tromans 356
- Corrosion Inhibition of Copper with Benzotriazole and Other Organic Surfactants
Y. Ling, Y. Guan, and K.N. Han 367
- Technical Note: Effect of Specimen Thickness on Cracking Susceptibility of Alloy 600 in High-Temperature Water
R.B. Rebak and Z. Szklarska-Smialowska 376
- Surface Roughness and the Metastable Pitting of Stainless Steel in Chloride Solutions
G.T. Burstein and P.C. Pistorius 380

- Localized Cathodic Protection of Simulated Prestressed Concrete
Pillings in Seawater
O. Chaix, W.H. Hartt, R. Kessler, and R. Powers 386
- Environment-Assisted Cracking of Fe-32% Mn-9% Al Alloys
in 3.5% Sodium Chloride Solution
S.C. Chang, J.Y. Liu, and H.K. Juang 399

June (No. 6)

- L-Methionine Methyl Ester Hydrochloride as a Corrosion Inhibitor
of Iron in Acid Chloride Solution
B. Hammouti, A. Aouniti, M. Taleb, M. Brighli, and S. Kertit 411
- Anodic Dissolution-Based Mechanism for the Rapid Cracking,
Preexposure Phenomenon Demonstrated by Aluminum-Lithium-
Copper Alloys
R.G. Buchheit, F.D. Wall, G.E. Stoner, and J.P. Moran 417
- Electroplating of Thin Films of Bismuth onto Type 4340 Steel
and Alloy 718 to Prevent Hydrogen Embrittlement
B.N. Popov, G. Zheng, and R.E. White 429
- Inhibition of Acid Corrosion of Pure Aluminum
with 5-Benzylidene-1-Methyl-2-Methylthio-Imidazole-4-One
G.A. El-Mahdy and S.S. Mahmoud 436
- Predicting Susceptibility of Alloy 600 to Intergranular
Stress Corrosion Cracking Using a Modified
Electrochemical Potentiokinetic Reactivation Test
M.-K. Ahn, H.-S. Kwon, and J.-H. Lee 441
- Effect of Gamma Radiation on Stability of Silver-Silver Chloride
and Mercury-Calomel Commercial Reference Electrodes
M.J. Danielson 450
- Effect of γ Phase on Corrosive Wear of Duplex Stainless Steel
in Sulfuric Acid Solution
X.-C. Lu, S.-Z. Li, X.-X. Jiang, and T.-C. Zhang 456
- Intergranular Corrosion Testing by Etching at a Constant Potential
R. Quarfort 463
- Corrosion Behavior of Annealed and Hard-Drawn Copper
in Soft Tap Water
F.M. Al-Kharafi and H.M. Shalaby 469
- Corrosion Consequences and Inhibition of Galvanic Couples
in Petroleum Production Equipment
R.L. Martin 482

July (No. 7)

- A New Technique for Correlation of Underground Corrosion
G.-L. Song, C.-N. Cao, and H.-C. Lin 491
- Effect of Applied Potentials on Environmental Cracking Behavior
of 17-4 PH Stainless Steel Weldments
K.S. Raja and K.P. Rao 498
- Tunneling Corrosion Mechanism of 25% Chromium-20% Nickel-
Niobium Stainless Steel in Highly Oxidizing Nitric Acid
H. Kajimura, M. Harada, T. Okada, M. Okubo,
and H. Nagano 507
- Generation of Stress Corrosion Cracking Environments
at Pipeline Surfaces
E.A. Charles and R.N. Parkins 518
- Soliton Theory of Crystal Surface Stability in Aggressive Media
G.V. Khaldeev and H.V. Kuznetsova 528
- Role of Hydrogen Promoters on Corrosion and Hydrogenation
of Mild Steel in Aqueous and Methanolic
Hydrochloric Acid Solutions
B.B. Paty, C.R. Das, and D.D.N. Singh 537
- Corrosion of Commercially Pure Al 99.5 in Chloride Solutions
Containing Carbon Dioxide, Bicarbonate, and Copper Ions
A. Bjørgum, H. Sigurdsson, and K. Nisancioglu 544
- Effect of Elemental Sulfur and Mercaptans on Copper Strip Corrosion
and Use of the ASTM D 130 Test Method
J. García-Antón, J. Monzó, and J.L. Guirón 558

August (No. 8)

- Dissolution Mechanism of Duplex Stainless Steels in the Active-to-
Passive Transition Range and the Role of Microstructure
E. Symiotis 571
- Effect of Coating Time on Corrosion Behavior of Electroless Nickel-
Phosphorus Coated Powder Metallurgy Iron Specimens
D. Singh, R. Balasubramaniam, and R.K. Dube 581
- Pitting Behavior of Type 17-4 PH Stainless Steel Weldments
K.S. Raja and K.P. Rao 586
- Improving the Inhibitive Performance of Dibenzyl Sulfoxide
for Pickling of Steel in Sulfuric Acid
D.D.N. Singh and B. Gaur 593

- Assessment of Data from Three Electrochemical Instruments
for Evaluation of Reinforcement Corrosion Rates in Concrete
Bridge Components
J. Flis, H.W. Pickering, and K. Osseo-Asare 602
- Corrosion Behavior of Alumina-Aluminum and Silicon Carbide-
Aluminum Metal-Matrix Composites
P.C.R. Nunes and L.V. Ramanathan 610
- Effects of Surface Chromium Depletion on Localized Corrosion
of Alloy 825 as a High-Level Nuclear Waste Container Material
D.S. Dunn, N. Sridhar, and G.A. Cragnolino 618
- Corrosion Inhibition of Aluminum Pigments in Aqueous Alkaline Media
at Different pH Values
B. Müller, K. Franze, and D. Mebarek 625
- Effect of Hydrogen Sulfide on Aqueous Corrosion of Commercially
Pure Al 99.5
A. Bjørgum, H. Sigurdsson, and K. Nisancioglu 631
- Laboratory Performance of Zinc Anodes for Impressed Current
Cathodic Protection of Reinforced Concrete
R. Brousseau, M. Arnott, and B. Baldock 639

September (No. 9)

- Effects of Neutron Irradiation on Transpassive Corrosion Behavior
of Austenitic Stainless Steels
Y. Watanabe, R.G. Ballinger, O.K. Harling, and G.E. Kohse 651
- Use of the Gamma-Ray Back-Scattering Technique to Monitor
Corrosion in a Circulating Rig
U.M. Dawoud 660
- Physical Interpretation of the Warburg Impedance
S.R. Taylor and E. Gileadi 664
- Study of Zinc Oxygen Corrosion Kinetics in Neutral Solution
Under Laser Illumination
E. Juzeliūnas, P. Kalinauskas, A. Stankevičiūtė, A. Sudavičius,
and A. Survilā 672
- Technical Note: Corrosion Protection of Rebar Using a Zinc Wire
X.G. Zhang 679
- Influence of Bicarbonate Ions on the Stability of Prepassive Layers
Formed on Copper in Carbonate-Bicarbonate Buffers
S.B. Ribotta, M.E. Folger, and J.R. Vilche 682
- Effect of Temperature and Cold Work on the Crack Growth Rate
of Alloy 600 in Primary Water
R.B. Rebak, Z. Xia, and Z. Szklarska-Smialowska 689
- Activation Energy in the Modeling of Complex and Poorly Known
Physicochemical Processes in Corrosion
G. Santarini 698
- Metal Dusting of Low- and High-Alloy Steels
H.J. Grabke 711
- Chloride Ion Barrier Properties of Small Electric Fields in the
Protection of Steel in Concrete
G.K. Glass, J.-Z. Zhang, and N.R. Buenfeld 721

October (No. 10)

- Low-Temperature Annealing: A Process to Mitigate
Irradiation-Assisted Stress Corrosion Cracking
A.J. Jacobs, G.P. Wozadlo, and G.M. Gordon 731
- Effect of Ferrite on Corrosion of Fe-Mn-Al Alloys in Sodium Chloride
Solution
M. Ruščak and T.-P. Perng 738
- Formation and Dissolution of the Anodic Oxide Film on Zirconium
in Alcoholic Aqueous Solutions
A.S. Mogoda 744
- Crevice Corrosion Repassivation Temperatures of Highly Alloyed
Stainless Steels
S. Valen and P.O. Gartland 750
- Intergranular Cracking of Irradiated Thermally Sensitized Type 304
Stainless Steel in High-Temperature Water and Inert Gas
K. Hide, T. Onchi, M. Mayuzumi, K. Dohi, and Y. Futamura 757
- Imidazole Derivatives as Corrosion Inhibitors for Zinc
in Hydrochloric Acid
E. Stupnišek-Lisac, D. Kasunić, and J. Vorkapić-Furač 767
- Comparison of the Rotating Cylinder and Pipe Flow Tests
for Flow-Sensitive Carbon Dioxide Corrosion
S. Nesic, G.T. Solot, and J. Enerhaug 773
- Effect of Orthoaminophenol on Nickel in 3% Sodium Chloride
Solution
A. Shihri, Y. Derballi, and T. Picaut 788
- Monitoring Corrosion in Boiler Systems with Colorimetric Tests
for Ferrous and Total Iron
M.R. Godfrey and T.-Y. Chen 797

November (No. 11)

- Some Organic Compounds as Inhibitors for the Corrosion of Aluminum Alloy 6063 in Deaerated Carbonate Solution
L. Bazzi, S. Kertit, and M. Hamdani 811
- Effect of pH on Corrosion Inhibition of Steel by Polyaspartic Acid
D.C. Silverman, D.J. Kalota, and F.S. Stover 818
- Mechanism of Dissimilar Metal Crevice Corrosion of Superferritic Stainless Steels
G. Salamat, G.A. Juhl, and R.G. Kelly 826
- Creep and Intergranular Cracking Behavior of Nickel-Chromium-Iron-Carbon Alloys in 360°C Water
T.M. Angelu, D.J. Paraventi, and G.S. Was 837
- Characterization of the Oxide Film Formed on Type 316 Stainless Steel in 288°C Water in Cyclic Normal and Hydrogen Water Chemistries
Y.-J. Kim 849
- Effect of Porosity on Resistance of Epoxy Coatings to Cold-Wall Blistering
J.R. Kosek, J.N. DuPont, and A.R. Marder 861
- Erosion and Erosion-Corrosion of Metals
A.V. Levy 872

December (No. 12)

- Adsorption of Octadecyldimethylbenzylammonium Chloride to Two Carbon Steel Microstructures as Observed with Surface-Enhanced Raman Spectroscopy
L.J. Oblonsky, G.R. Chesnut, and T.M. Devine 891
- Stress Corrosion Cracking of Sensitized Type 304 Stainless Steel in Doped High-Temperature Water
J. Congleton, R.A. Berrisford, and W. Yang 901
- A Mechanistic Study of the Effects of Nitrogen on the Corrosion Properties of Stainless Steels
P.R. Levey and A. van Bennekom 911
- Assessing the Corrosion Resistance of Nonequilibrium Magnesium-Yttrium Alloys
P.L. Miller, B.A. Shaw, R.G. Wendt, and W.C. Moshier 922
- Cathodic Protection of Steel by Electrodeposited Zinc-Nickel Alloy Coatings
K.R. Baldwin, C.J.E. Smith, and M.J. Robinson 932
- Susceptibility to Corrosion Fatigue of Type 4145 Steel in Drilling Muds
J.G. González-Rodríguez and R.P.M. Procter 941

Author Index

A

Adachi, T., 3
Ahn, M.K., 441
Al-Hashem, A., 331
Al-Kharafi, F.M., 469
Andrade, C., 79, 145
Andresen, P.L., 223
Angelu, T.M., 837
Aouniti, A., 411
Arey, B.W., 11
Arnott, M., 639
Auclair, G., 343
Audouard, J.-P., 343

B

Balasubramaniam, R., 581
Baldock, B., 639
Baldwin, K.R., 932
Ballinger, R.G., 651
Bazzi, L., 811
Benito, M., 145
Berrisford, R.A., 901
Berthier, F., 105
Bertocci, U., 131
Bjergum, A., 544, 631
Brighli, M., 411
Brookes, H.C., 312
Brousseau, R., 639
Bruemmer, S.M., 11
Buchheit, R.G., 417
Buenfeld, N.R., 721
Burleigh, T.D., 50
Burststein, G.T., 380

C

Caceres, P.G., 331
Cao, C.-N., 491
Ceppan, M., 206
Chaix, O., 386
Chang, S.C., 399
Charles, E.A., 518
Chatterjee, I., 97
Chen, T.-Y., 797
Chesnut, G.R., 891
Cohen, S.M., 71
Cole, J.L., 11
Combrade, P., 343

Congleton, J., 901
Cragnolino, G.A., 618
Cui, Z.M., 124

D

Danielson, M.J., 450
Das, C.R., 537
Davenport, A.J., 67
Dawoud, U.M., 660
Derball, Y., 788
Devine, T.M., 891
Dexter, S.C., 56
Diard, J.-P., 105
Dohi, K., 757
Dolecek, V., 295
Dowling, N.J.E., 343
Dube, R.K., 581
Ducasse, M., 191
Dunn, D.S., 618
DuPont, J.N., 861
Duret-Thual, C., 343

E

El-Mahdy, G.A., 436
Enerhaug, J., 773

F

Fang, Z., 124
Feliu, S., 79, 145
Flis, J., 602
Folquer, M.E., 682
Franze, K., 625
Futamura, Y., 757

G

García-Antón, J., 558
Gartland, P.O., 750
Gaur, B., 593
Gileadi, E., 664
Glass, G.K., 721
Godfrey, M.R., 797
González, J.A., 79, 145
González-Rodríguez, J.G., 941
Gordon, G.M., 731
Grabke, H.J., 711
Guan, Y., 367

Guñón, J.L., 558
Guo, D., 45
Guo, R., 212, 356
Gust, J., 37

H

Hamdani, M., 811
Hammouti, B., 411
Han, K.N., 367
Harada, M., 507
Harling, O.K., 651
Harper, M.A., 191
Hart, W.H., 386
Hermas, A.A., 3
Hide, K., 757
Huang, H., 30
Huet, F., 131

J

Jacobs, A.J., 731
Jiang, G., 124
Jiang, X.-X., 456
Jones, D.A., 97
Juang, H.K., 399
Juhl, G.A., 826
Juzeliunas, E., 672

K

Kajimura, H., 507
Kallnauskas, P., 672
Kálmán, E., 201
Kalota, D.J., 818
Kasunic, D., 767
Kelly, R.G., 826
Kertit, S., 411, 811
Kessler, R., 386
Khaldeev, G.V., 528
Kim, Y.-J., 849
Kobotiatas, L., 19
Kohse, G.E., 651
Kosek, J.R., 861
Koutsoukos, P.G., 19
Kruger, J., 251
Kuznetsova, H.V., 528
Kvarekval, J., 260
Kwon, H.-S., 441

L

Lambert, S.B., 91
Latanision, R.M., 270
Le, B. Gorrec, 105
Lee, J.-H., 441
Legat, A., 295
Levey, P.R., 911
Levy, A.V., 872
Li, J.G., 124
Li, S.-Z., 456
Lillard, R.S., 251
Lin, H.-C., 491
Ling, Y., 367
Liu, J.Y., 399
Liu, Y.P., 177
Lu, T., 45
Lu, X.-C., 456
Ludwiczak, E., 50
Lukovits, I., 201

M

Mahmoud, S.S., 436
Mallik, H., 321
Marder, A.R., 861
Martin, R.L., 482
Mayuzumi, M., 757
Mebarek, D., 625
Mikula, M., 206
Miller, P.L., 922
Miyasaka, A., 239
Mogoda, A.S., 744
Montella, C., 105
Monzó, J., 558
Moran, J.P., 417
Moran, P.J., 251
Morris, D.R., 301
Moshier, W.C., 922
Müller, B., 625

N

Nagano, H., 507
Nestic, S., 773
Newman, R.C., 171
Nisanoglu, K., 544, 631
Nunes, P.C.R., 610

O

Oblonsky, L.J., 891
Ogawa, H., 239
Ogura, K., 3
Okada, T., 507
Okubo, M., 507
Onchi, T., 757
Osseo-Asare, K., 602

P

Pálinskás, G., 201
Panák, J., 206
Panasyuk, V.V., 284
Paraventi, D.J., 837
Parkins, R.N., 518
Paty, B.B., 537
Perng, T.-P., 738
Petri, R.A., 50
Picaud, T., 788
Pickering, H.W., 602
Pilkey, A.K., 91
Pistorius, P.C., 380
Plumtree, A., 91
Popov, B.N., 429
Potgieter, J.H., 312
Pourbaix, M., 177
Powers, R., 386
Procter, R.P.M., 941

Q

Qvarfort, R., 463

R

Raja, K.S., 498, 586
Ramanathan, L.V., 610
Rao, K.P., 498, 586
Ratych, L.V., 284
Rebak, R.B., 376, 689
Riad, W.T., 331
Ribotta, S.B., 682
Robinson, M.J., 932
Rodriguez, P., 145
Romagnoli, R., 116
Ruščák, M., 738

S

Salamat, G., 826
Santarini, G., 698
Shah, S., 67
Shalaby, H.M., 331, 469
Shan, Y., 45
Shaw, B.A., 922
Shaw, W.J.D., 30
Sigurdsson, H., 544, 631
Silverman, D.C., 818
Singh, D., 581
Singh, D.D.N., 537, 593
Smith, C.J.E., 932
Solvi, G.T., 773
Song, G.-L., 491
Srhiri, A., 788
Sridhar, N., 618
Stankevičiūtė, A., 672
Stoner, G.E., 417
Stover, F.S., 818

Stupnišek-Lisac, E., 767
Sudavičius, A., 672
Suleiman, M.I., 171
Sun, D.B., 124
Survila, A., 672
Symiotis, E., 571
Szkłarska-Smiałowska, Z., 376, 689

T

Tait, W.S., 251
Takagi, S., 3
Taleb, M., 411
Taylor, S.R., 664
Tromans, D., 212, 356
Tsikrikas, C., 19

V

Valen, S., 750
Van Bennekom, A., 911
Vetere, V.F., 116
Videm, K., 260
Vilche, J.R., 682
Vorkapić-Furač, J., 767

W

Wall, F.D., 417
Wan, L., 301
Ward, A., 67
Was, G.S., 837
Watanabe, Y., 651
Wawer, I., 37

Wei, D.F., 97
Weinberg, F., 212, 356
Wendt, R.G., 922
White, R.E., 429
Windisch, C.F. Jr., 11
Wozadlo, G.P., 731
Wu, J.K., 185
Wu, T.I., 185
Wu, Y.S., 124

X

Xi, S., 45
Xia, Z., 689
Xing, W., 45
Xu, C.C., 177

Y

Yajiang, L., 234
Yang, B., 153
Yang, W., 901
Yonglan, Z., 234
Young, D.J., 191
Young, L.M., 223

Z

Zhang, H.-J., 56
Zhang, J.-Z., 721
Zhang, L., 124
Zhang, T.-C., 456
Zhang, X.G., 679
Zheng, G., 429
Zuo, J.Y., 177

Water Treatment & Corrosion Control in Water Systems

A new 2-day seminar from
NACE International

8 convenient locations throughout the
United States or bring this seminar to
your facility for on-site training.

To receive a complete brochure and registration
information, please call NACE Membership Services
at 713/492-0535, ext. 80 or 81.
Fax inquiries to 713/579-6694



YOU WILL LEARN—

- ☒ Water treatment methods for industrial and municipal systems.
- ☒ Water treatment and corrosion control practices employed in major industries.
- ☒ How to identify potential problems and protect a system from failure—preventative actions.

WHO SHOULD ATTEND—

- ⊙ Plant managers
- ⊙ Plant and environmental engineers
- ⊙ Technicians & technologists
- ⊙ Anyone who has water treatment responsibilities in the following industries and applications: municipal water systems, wastewater management, power generation, gas processing, large facility A/C, pulp and paper, oil and gas production, boiler systems, steel manufacturing, chemical and petrochemical

88576-001

Subject Index

Symbols

1,1-diphenyl-2-picrylhydrazyl

polyphenols, scavenging by, 37

17-4 precipitation-hardenable stainless steel

environmental cracking, 498

weldments, effect of heat treatment and heat input on pitting, 586

18-8 stainless steel

complex inclusions, effect on pit initiation, 343

5-benzylidene-1-methyl-2-methylthio-imidazole-4-one

aluminum, inhibition in acid solution, 436

A

Absorption. See also Hydrogen absorption

aluminum pigments, isoelectric point and inhibition in aqueous alkaline media, 625

inhibitors and fatigue crack growth, 284

Acceptance testing

stainless steel, intergranular corrosion, 463

Acetamide

type 304L stainless steel, in evaluating intergranular corrosion, 124

Acid. See Amino; Aspartic; Chromic; Gallic; Hydrochloric; Maleic; Nitric; Perchloric; Phosphoric; Polyacrylic; Polyspartic; Stearic; Sulfuric; and Telluric acids

Acid solutions and environments

25% Cr-20% Ni-Nb stainless steel, tunneling corrosion in nitric acid, 507

aluminum-magnesium-silicon-copper alloys, intergranular corrosion of heat-treated, 50

duplex stainless steel, dissolution mechanism in the active/passive transition range, 571

iron, L-methionine methyl ester hydrochloride as an inhibitor in chloride, 411

mild steel, effect of dibenzyl sulfoxide on pickling in sulfuric acid, 593

nickel, effect of orthoaminothiophenol in sodium chloride, 788

type 304 stainless steel, effect of alloying on corrosion and passivation in, 3

type 4145 steel, susceptibility to fatigue in drilling muds, 941

Activation energy

5-benzylidene-1-methyl-2-methylthio-imidazole-4-one, for aluminum in acid solution, 436

alloy 600, effect of temperature and cold work on crack growth rate, 689

iron, L-methionine methyl ester hydrochloride as an inhibitor for, 411

modeling, complex and poorly known physicochemical processes, 698

Active zones

reinforced concrete, 145

Adhesion

aluminum pigments, isoelectric point and inhibition in aqueous alkaline media, 625

zinc anodes, laboratory performance for impressed current cathodic protection, 639

zinc phosphate, improvement by, 116

Adsorption. See also Hydrogen adsorption

Al 6063, organic compounds as inhibitors in deaerated carbonate solution, 811

Al 7075, effect of oxalate anions on corrosion resistance, 19

Al 7075, effect of sulfate ions on in sodium chloride, 185

aluminum pigments, isoelectric point and inhibition in aqueous alkaline media, 625

carbon steel, effect of octadecyldimethylbenzylammonium chloride, 891

copper, inhibition by benzotriazole, 367

crystal surface stability in aggressive media, solitonic theory, 528

inhibitors, protection by at the fatigue crack growth stage, 284

iron, inhibition mechanism in stearic acid, 45

iron, L-methionine methyl ester hydrochloride as an inhibitor for, 411

models, nonlinear group contribution, 201

pipeline surfaces, stress corrosion cracking and pH, 518

steel, metal dusting of low- and high-alloy, 711

Warburg impedance, physical interpretation and adsorption pseudocapacitance, 664

zinc, imidazole derivatives as inhibitors, 767

Aerospace environments

Al 7075, pitting corrosion in the presence of oxalate anions, 19

alumina- and silicon carbide-aluminum metal-matrix composites, corrosion behavior, 610

aluminum alloys, chromium pretreatments, 71

Aging

17-4 precipitation-hardenable stainless steel, applied potentials and environmental cracking, 498

17-4 precipitation-hardenable stainless steel weldments, heat treatment and heat input, 586

alloy 600, modified electrochemical potentiokinetic reactivation test, 441

aluminum-magnesium-silicon-copper alloys, intergranular corrosion of heat-treated, 50

Al 1050A

in chloride solution containing carbon dioxide, bicarbonate, and copper ions, 544, 631

Al 1100

erosion and erosion-corrosion, 872

Al 2014

alumina- and silicon carbide-aluminum metal-matrix composites, corrosion behavior, 610

Al 2024

chromium pretreatments, replacements for, 71

Al 2090

aluminum-lithium-copper alloys, preexposure phenomenon, 417

Al 5754

in chloride solution containing carbon dioxide, bicarbonate, and copper ions, 544, 631

Al 6013

intergranular corrosion in hydrochloric acid, 50

Al 6063

thiourea and other organic compounds as inhibitors for, 811

Al 6082

in chloride solution containing carbon dioxide, bicarbonate, and copper ions, 544, 631

Al 7075

erosion and erosion-corrosion, 872

oxalate anions, corrosion resistance in the presence of, 19

sulfate ions, effect on inhibition, 185

Alcohols and alcohol solutions

zirconium, formation and dissolution of the anodic oxide film in, 744

Alkaline solutions

aluminum pigments, isoelectric point and inhibition in, 625

aluminum-lithium-copper alloys, preexposure phenomenon, 417

copper, influence of bicarbonate ions on prepassive layers on, 682

X-60 line pipe steel, stress corrosion cracking in carbonate-bicarbonate solution, 91

zinc monocrystals, pitting corrosion of passivated, 356

zinc oxygen corrosion kinetics under laser illumination, 672

Alkyd coatings. See also Coatings

degradation, evaluation using impedance spectroscopy, 97

Alloy 153 MA

cyclic oxidation plus carburization, 191

Alloy 253 MA

cyclic oxidation plus carburization, 191

Alloy 254 SMO

crevice corrosion repassivation temperatures, 750

stainless steel, constant potential etching, 463

Alloy 353 MA

cyclic oxidation plus carburization, 191

Alloy 600

activation energy, modeling of complex physicochemical processes, 698

crack growth rate, effect of temperature and cold work on in primary water, 689

creep and intergranular cracking, 837

sensitization, modified electrochemical potentiokinetic reactivation test, 441

specimen thickness and cracking in high-temperature water, 376

Alloy 601

cyclic oxidation plus carburization, 191

Alloy 6XN

biofilms, effect on crevice corrosion in seawater, 56

Alloy 718

bismuth electroplating to prevent hydrogen embrittlement, 429

Alloy 800

cyclic oxidation plus carburization, 191

Alloy 825

localized corrosion, effect of chromium depletion on as a nuclear waste container material, 618

Alloy AC 66

cyclic oxidation plus carburization, 191

Alloy RA 330

cyclic oxidation plus carburization, 191

Alloy WE43

magnesium-yttrium alloys, corrosion resistance of nonequilibrium, 922

Alloying. See also Aluminum and aluminum alloys; Austenitic alloys; Carbon and carbon alloys; Chromium and chromium alloys; Copper and copper alloys; Corrosion-resistant alloys; Heat-resistant alloys; High-alloy steel; Iron and iron alloys; Lithium and lithium alloys; Low-alloy steel; Magnesium and magnesium alloys; Manganese and manganese alloys; Molybdenum and molybdenum alloys; Nickel and nickel alloys; Niobium and niobium alloys; Silicon and silicon alloys; Thin-film alloys; Tin and tin alloys; Titanium and titanium alloys; Two-phase alloys; Yttrium and yttrium alloys; Zinc and zinc alloys; Zirconium and zirconium alloys

alumina- and silicon carbide-aluminum metal-matrix composites, 610

aluminum-lithium-copper alloys, preexposure phenomenon, 417

aluminum-magnesium-silicon-copper alloys, intergranular corrosion of heat-treated, 50

iron-aluminum alloys in hydrogen sulfide, 234

iron-manganese-aluminum alloys, environment-assisted cracking, 399

iron-nickel-chromium alloys, cyclic oxidation plus carburization, 191

rapid solidification processing, 923

stainless steel, effect of nitrogen on, 911

superferritic stainless steel, dissimilar metal crevice corrosion, 826

type 304 stainless steel, corrosion and passivation, 3

zinc-nickel coatings, cathodic protection of steel by electrodeposited, 932

Allyl thiourea

type 304L stainless steel, in evaluating intergranular corrosion, 124

Alternating current and alternating current impedance spectroscopy. See also Current

coated steel, evaluation of degradation, 97

Aluminum and aluminum alloys. See also Alloying

18-8 stainless steel, effect of complex inclusions on pit initiation, 343

Al 6063, organic compounds as inhibitors in deaerated carbonate solution, 811

- Al 7075, pitting corrosion resistance in the presence of oxalate anions, 19
- acid corrosion, inhibition with 5-benzylidene-1-methyl-2-methylthio-imidazole-4-one, 436
- alumina and silicon carbide metal-matrix composites, corrosion behavior, 610
- aluminum-lithium-copper alloys, rapid cracking preexposure phenomenon, 417
- aluminum-magnesium-silicon-copper alloys, intergranular corrosion in hydrochloric acid, 50
- aqueous corrosion, effect of hydrogen sulfide, 631
- chromium pretreatments, replacements for, 71
- coated steel, corrosion of the alloy layer and welding zone in hydrogen sulfide, 234
- electrochemical noise, monitoring, 295
- ferritic alloys, effect of ferrite in sodium chloride, 738
- in chloride solution containing carbon dioxide, bicarbonate, and copper ions, 544, 631
- iron-manganese alloys, environment-assisted cracking in sodium chloride, 399
- petroleum production equipment, galvanic couples, 482
- pigments, isoelectric point and inhibition of in aqueous alkaline media, 625
- sulfate ions, effect on inhibition of, 185
- zinc anodes, laboratory performance for impressed current cathodic protection, 639
- Aluminum oxide. See also Oxides and oxide films**
- Al 99.5, effect of hydrogen sulfide on aqueous corrosion, 631
- pigments, isoelectric point and inhibition of in aqueous alkaline media, 625
- Amino acid**
- steel, effect of pH on inhibition by polyaspartic acid, 818
- Aminoesters**
- iron, L-methionine methyl ester hydrochloride as an inhibitor for, 411
- Aminothiurea**
- type 304L stainless steel, in evaluating intergranular corrosion, 124
- Ammonia**
- stainless steel, effect of nitrogen on and ammonia production theory, 911
- Analytical electron microscopy**
- type 304 stainless steel, radiation-induced segregation, 11
- Anisotropic pitting. See also Pitting corrosion**
- β -tin monocrystals, 212
- zinc monocrystals, 356
- Annealing**
- copper, in soft tap water, 469
- copper, inhibition by benzotriazole and other surfactants, 367
- duplex stainless steel, effect of γ phase on in sulfuric acid, 456
- low-temperature, effect on irradiation-assisted stress corrosion cracking, 731
- Anodes**
- concrete, cathodic protection of simulated prestressed pilings in seawater, 386
- concrete, laboratory performance of zinc for impressed current cathodic protection, 639
- concrete, zinc wire as a sacrificial anode in protection of reinforced, 679
- Anodic coatings. See also Coatings**
- chromium pretreatments, replacements for on aluminum, 71
- Anodic current. See also Current**
- nickel-aluminum bronze in seawater, cavitation corrosion, 331
- type 304L stainless steel, in evaluating intergranular corrosion, 124
- Anodic dissolution. See also Dissolution**
- aluminum-lithium-copper alloys, preexposure phenomenon, 417
- β -tin monocrystals, correlation of crystallographic planes and pitting corrosion, 212
- carbon steel in carbon dioxide-saturated solution containing hydrogen sulfide, 260
- duplex stainless steel, effect of ruthenium, 312
- inhibitors, protection at the fatigue crack growth stage, 284
- zinc monocrystals, pitting corrosion of passivated in chloride solution, 356
- zirconium, formation and dissolution of the anodic oxide film on in alcohol solutions, 744
- Anodic inhibitors. See Inhibitors**
- Anodic polarization. See also Polarization**
- aluminum-lithium-copper alloys, preexposure phenomenon, 417
- copper, influence of bicarbonate ions in carbonate-bicarbonate buffers, 682
- magnesium-yttrium alloys, corrosion resistance of nonequilibrium, 922
- metal-matrix composites, aluminum-based, 610
- stainless steel, galvanostatic crevice stress corrosion test, 171
- stainless steel, intergranular corrosion testing by constant potential etching, 463
- titanium, effect on photocorrosion of passive films in sulfuric acid, 206
- type 304 stainless steel, effect of alloying on corrosion and passivation, 3
- X-60 linepipe steel, stress corrosion cracking in carbonate-bicarbonate solution, 91
- zinc monocrystals, pitting corrosion of passivated, 356
- zinc oxygen corrosion kinetics under laser illumination, 672
- Anodic potential. See also Potential**
- 17-4 precipitation-hardenable stainless steel, applied potential and environmental cracking, 498
- Al 7075, pitting corrosion in the presence of oxalate anions, 19
- iron-manganese-aluminum alloys, in sodium chloride, 399
- Anodic spark deposition**
- chromium pretreatments, as a replacement for on aluminum, 71
- API J55 steel**
- galvanic couples, petroleum production equipment, 482
- Aqueous corrosion. See also Corrosion**
- alumina- and silicon carbide-aluminum metal-matrix composites, 610
- aluminum, effect of hydrogen sulfide on commercially pure, 631
- Aqueous solutions and environments**
- Al 7075, effect of sulfate ions in sodium chloride, 185
- Al 7075, pitting corrosion in the presence of oxalate anions, 19
- aluminum, in chloride solution containing carbon dioxide, bicarbonate, and copper ions, 544, 631
- aluminum pigments, isoelectric point and inhibition in, 625
- copper, influence of bicarbonate ions in carbonate-bicarbonate buffers, 682
- iron, L-methionine methyl ester hydrochloride as an inhibitor for in chloride solution, 411
- mild steel, role of hydrogen promoters on corrosion and hydrogenation in, 537
- pipelines, generation of stress corrosion cracking environments, 518
- steel and aluminum, corrosion monitoring based on electrochemical noise, 295
- steel, hydrogen embrittlement in cold-worked, 30
- titanium, photocorrosion of passive films on in sulfuric acid, 206
- type 304 stainless steel, intergranular cracking of irradiated thermally sensitized, 757
- zirconium, formation and dissolution of the anodic oxide film in, 744
- Arc spray**
- zinc anodes, laboratory performance for impressed current cathodic protection of reinforced concrete, 639
- Argon**
- nickel-based alloys, effect on creep and intergranular cracking, 837
- Arsenic**
- mild steel, role of hydrogen promoters on corrosion and hydrogenation, 537
- Aspartic acid**
- steel, effect of pH on inhibition by polyaspartic acid, 818
- Atmospheric corrosion. See also Corrosion**
- coated steel, evaluation of degradation using impedance spectroscopy, 97
- Atomic absorption spectroscopy**
- aluminum pigments, isoelectric point and inhibition in aqueous alkaline media, 625
- Auger electron spectroscopy**
- type 316 steel, oxide films formed in normal and hydrogen water chemistries, 849
- Austenite and austenitic alloys. See also Alloying**
- ferritic alloys, effect of ferrite on in sodium chloride, 738
- iron-manganese-aluminum alloys, environment-assisted cracking in sodium chloride, 399
- steel, metal dusting of low- and high-alloy, 711
- Austenitic stainless steel. See also By type; By UNS number; Stainless steel; Steel**
- 25% Cr-20% Ni-Nb steel, tunneling corrosion in oxidizing nitric acid, 507
- chromium-titanium, effect of stress on occluded cell corrosion, 177
- cyclic oxidation plus carburization, 191
- galvanostatic, crevice stress corrosion test, 171
- highly-alloyed, crevice corrosion repassivation temperatures, 750
- low-temperature annealing and irradiation-assisted stress corrosion cracking, 731
- transpassive corrosion, effect of neutron irradiation, 651
- type 304 stainless steel, effect of alloying on corrosion and passivation, 3
- Automotive environments**
- alumina- and silicon carbide-aluminum metal-matrix composites, 610
- aluminum pigments, isoelectric point and inhibition in aqueous alkaline media, 625
- steel, cathodic protection by electrodeposited zinc-nickel alloy coatings, 932
- B**
- Bacteria**
- biofilms, effect on crevice corrosion of stainless steel in seawater, 56
- Barnacle electrode. See also Electrode**
- hydrogen concentration and transport, 30
- Barriers**
- chloride ion, small electric fields in the protection of steel in concrete, 721
- Bent-beam testing**
- corrosion-resistant alloys, application limits in sour service, 239
- low-temperature annealing and irradiation-assisted stress corrosion cracking, 731
- Benzotriazole**
- Al 6063, organic compounds as inhibitors in deaerated carbonate solution, 811
- copper, inhibition of corrosion with, 367
- Bicarbonate and carbonate solutions**
- aluminum, in chloride solution containing carbon dioxide, bicarbonate, and copper ions, 544, 631
- copper, influence of bicarbonate ions in carbonate-bicarbonate buffers, 682
- pipeline surfaces in, generation of stress corrosion cracking environments, 518
- Biofilm. See also Films and film formation**
- stainless steel, effect on crevice corrosion in seawater, 56
- Bismuth**
- alloy 718 and type 4340 steel, electroplating to prevent hydrogen embrittlement, 429
- Blistering**
- epoxy coatings, effect of porosity on resistance to cold-wall, 861
- zinc anodes, laboratory performance for impressed current cathodic protection of reinforced concrete, 639
- Blocking**
- iron, inhibition by stearic acid, 45

Boilers

colorimetric tests for ferrous and total iron, 797

Boiling water reactors. See also

Feedwater; Nuclear power; Radiation; Reactors; Water

low-temperature annealing and irradiation-assisted stress corrosion cracking, 731
type 304 stainless steel, intergranular cracking of irradiated thermally sensitized, 757
type 304 stainless steel, stress corrosion cracking in doped high-temperature water, 901
type 316 steel, oxide films formed in normal and hydrogen chemistries, 849

Bonding

octadecyltrimethylbenzylammonium chloride, adsorption on carbon steel by Raman spectroscopy, 891

Breakdown potential. See also Potential

alloy 825, effect of chromium depletion on localized corrosion resistance, 618

Bridges

reinforced concrete, assessment of corrosion rates by three instruments, 602
reinforced concrete, zinc wire as a sacrificial anode in, 679

Brine solutions. See also Chloride and chloride solutions; Marine environments; Salt water; Seawater; Sodium chloride and solutions; Water

aluminum, in chloride solution containing carbon dioxide, bicarbonate, and copper ions, 544, 631
carbon steel, in carbon dioxide-saturated solution containing hydrogen sulfide, 260
galvanic couples, in petroleum production equipment, 482
mild steel, influence of quarternary amines on surface films and polarization resistance in, 321
type 1020 steel, hydrogen embrittlement in cold-worked in, 30

Bronze

nickel-aluminum, cavitation corrosion, 331

C**Cadmium**

18-8 stainless steel, effect of complex inclusions on pit initiation, 343

Calomel electrode. See Electrode

mercury, effect of gamma radiation, 450
Capacitance. See also Pseudocapacitance
faradaic impedance determination of an electrode reaction, application to metal corrosion rate, 105

Capillary electrophoresis

superferritic stainless steel, dissimilar metal crevice corrosion, 826

Carbamide

type 304L stainless steel, in evaluating intergranular corrosion, 124

Carbon and carbon alloys. See also Alloying

iron-manganese-aluminum alloys, environment-assisted cracking in sodium chloride, 399

nickel-based alloys, creep and intergranular cracking in 360°C water, 837

Carbon dioxide and solutions

aluminum, in chloride solution containing carbon dioxide, bicarbonate, and copper ions, 544, 631
carbon steel, in saturated solutions containing hydrogen sulfide, 260
mild steel, influence of C16 quarternary amine on surface film and polarization resistance, 321
petroleum production equipment, galvanic couples, 482
pipeline surfaces, generation of stress corrosion cracking environments, 518

Carbon dioxide corrosion. See also Corrosion

corrosion-resistant alloys, application limits in sour service, 239
mild steel, influence of quarternary amines on surface films and polarization resistance, 321

rotating cylinder and pipe flow tests for, 773

Carbon steel. See also By type; By UNS number; Steel

carbon dioxide corrosion, comparison of rotating cylinder and pipe flow tests, 773
in carbon dioxide-saturated solution containing hydrogen sulfide, 260
octadecyltrimethylbenzylammonium chloride, adsorption on using Raman spectroscopy, 891
petroleum production equipment, galvanic couples, 482
stearic acid, inhibition effect, 45
tellurium-based conversion coatings, 67

Carbonate and carbonate solutions

Al 6063, organic compounds as inhibitors in deaerated, 811

copper, influence of bicarbonate ions in carbonate-bicarbonate buffers, 682
pipeline surfaces, in generation of stress corrosion cracking environments, 518

Carbonate-bicarbonate solutions

Al 99.5 in chloride solution containing carbon dioxide, bicarbonate, and copper ions, 544, 631

copper, influence of bicarbonate ions on prepassive layers on in, 682
octadecyltrimethylbenzylammonium chloride, adsorption on carbon steel by Raman spectroscopy, 891
pipeline surfaces, stress corrosion cracking and pH, 518

X-60 line pipe steel, stress corrosion cracking, 91

zinc monocrystals, pitting corrosion of passivated in, 356

Carburization

18-8 stainless steel, effect of complex inclusions on pit initiation, 343
heat-resistant alloys, 191
steel, metal dusting of low- and high-alloy, 711

Catechol

radical scavenging effect and anticorrosive properties, relation, 37

Cathodic current. See also Current

nickel-aluminum bronze in seawater, cavitation corrosion, 331
reinforced steel in concrete, chloride ion barrier properties of small electric fields, 721

Cathodic poisons

mild steel, role of hydrogen promoters on corrosion and hydrogenation, 537

Cathodic polarization. See also Polarization

aluminum, 5-benzylidene-1-methyl-2-methylthio-imidazole-4-one in acid solution, 436

aluminum, in chloride solution containing carbon dioxide, bicarbonate, and copper ions, 544, 631

carbon steel in carbon dioxide-saturated solution containing hydrogen sulfide, 260
concrete pilings in seawater, prestressed, 386
stainless steel, crevice corrosion in seawater, 56

Cathodic potential. See also Potential

17-4 precipitation-hardened stainless steel, effect of applied potentials on environmental cracking, 498

Cathodic protection

alloy 718 and type 4340 steel, bismuth electroplating, 429,
chloride ion barriers, small electric fields in the protection of steel in concrete, 721
concrete, simulated prestressed pilings in seawater, 386
duplex stainless steel, effect of γ phase on corrosive wear in sulfuric acid, 456
mild steel, role of hydrogen promoters on corrosion and hydrogenation, 537
nickel-aluminum bronze in seawater, 331
steel, electrodeposited zinc-nickel alloy coatings, 932
pipelines, generation of stress corrosion cracking environments, 518
zinc anodes, laboratory performance for impressed current cathodic protection of reinforced concrete, 639

Cavitation corrosion. See also Corrosion

nickel-aluminum bronze in seawater, 331

Cement. See Concrete; Reinforced concrete**Ceramic superconductors**

corrosion characteristics, 270

Cerium

25% Cr-20% Ni-Nb stainless steel, tunneling corrosion mechanism in nitric acid, 507

Chain length

alcohols, formation and dissolution of the anodic oxide film on zirconium in, 744

Charge density

austenitic stainless steel, effect of neutron irradiation on transpassive corrosion, 651

Chelants

aluminum pigments, isoelectric point and inhibition in aqueous alkaline media, 625
boilers, colorimetric tests for ferrous and total iron, 797

Chemical industry environments

25% Cr-20% Ni-Nb stainless steel, tunneling corrosion mechanism in nitric acid, 507
zirconium, formation and dissolution of the anodic oxide film on in alcohol solution, 744

Chemical vapor deposition

chromium pretreatments, as replacements for, 71

Chloride and chloride solutions. See also Brine solutions; Marine environments; Salt water; Seawater; Sodium chloride and solutions

Al 7075, effect of oxalate anions on pitting resistance in, 19
Al 7075, effect of sulfate ions on inhibition in, 185
alloy 825, effect of chromium depletion on localized corrosion resistance in, 618
aluminum, in chloride solution containing carbon dioxide, bicarbonate, and copper ions, 544, 631
aluminum-magnesium-silicon-copper alloys, intergranular corrosion of heat-treated, 50
austenitic stainless steel, galvanostatic crevice stress corrosion test for in hot, 171
 β -tin monocrystals, pitting corrosion of passivated in, 212
copper, corrosion behavior of annealed and hard-drawn in soft tap water, 469
faradaic impedance of an electrode reaction application to metal corrosion rate, 105
iron, L-methionine methyl ester hydrochloride as an inhibitor for, 411
magnesium-yttrium alloys, corrosion resistance of nonequilibrium, 922
mild steel, inhibiting performance of dibenzyl sulfide on pickling, 593
nickel, effect of orthoaminophenol on in sodium chloride, 788
reinforced concrete, zinc wire as a sacrificial anode in protection of, 679
reinforced steel in concrete, chloride ion barriers, small electric fields in, 721
stainless steel, surface roughness and metastable pitting in, 380
steel, cathodic protection by electrodeposited zinc-nickel alloy coatings, 932
superferritic stainless steel, dissimilar metal crevice corrosion, effect on, 826
type 304 stainless steel, effect of alloying on corrosion and passivation in, 3
type 304 stainless steel, stress corrosion cracking in doped high-temperature water and, 901
type 4145 steel, fatigue in drilling muds, 941
zinc anodes, laboratory performance for impressed cathodic protection of reinforced concrete, 639
zinc monocrystals, pitting corrosion of passivated in, 356

Chromic acid

phosphate-based conversion coatings and, 67

Chromium and chromium alloys. See also Alloying

18-8 stainless steel, effect of complex inclusions on pit initiation, 343

25% Cr-20% Ni-Nb stainless steel, tunneling corrosion mechanism in nitric acid, 507
 alloy 718 and type 4340 steel, bismuth electroplating hydrogen embrittlement, 429
 chromium-titanium alloys, effect of stress on occluded cell corrosion, 177
 corrosion-resistant alloys, application limits in sour service, 239
 duplex stainless steel, effect of ruthenium on high-chromium, 312
 ferral alloys, effect of ferrite on in sodium chloride, 738
 heat-resistant alloys, cyclic oxidation plus carburization, 191
 iron-manganese-aluminum alloys, environmentally assisted cracking in, 399
 nickel-based alloys, effect on creep and intergranular cracking behavior, 837
 pretreatments, replacements for on aluminum, 71
 stainless steel, effect of nitrogen on and, 911
 type 304 stainless steel, depletion and 11

Chromium depletion
 25% Cr-20% Ni-Nb stainless steel, tunneling corrosion mechanism in nitric acid, 507
 alloy 600, modified electrochemical potentiokinetic reactivation test, 441
 alloy 825, localized corrosion and as a nuclear waste container material, 618
 austenitic stainless steel, effect of neutron irradiation on transpassive corrosion, 651
 stainless steel, by nickel ion irradiation, 11
 type 304 stainless steel, intergranular cracking of irradiated thermally sensitized, 757

Circulating environments
 gamma back-scattering technique, to monitor general corrosion in, 660

Coatings. See also Alkyd coatings; Anodic coatings; Electroless coatings; Epoxy coatings; Organic coatings; Polymers and polymer coatings; Primers
 aluminum pigments, inhibition in aqueous alkaline media, 625
 chromium pretreatments for aluminum, 71
 iron phosphate, for carbon steel, 67
 powder metallurgy iron, effect of coating time on electroless nickel-phosphorus coated, 581
 tellurium-based conversion, for carbon steel, 67
 zinc monocrystals, pitting corrosion of passivated, 356
 zinc-nickel alloy, cathodic protection of steel by electrodeposited coatings, 932

Cold-wall blistering
 epoxy coatings, effect of porosity on resistance, 861

Cold work
 alloy 600, effect of temperature and on crack growth rate in primary water, 689
 steel, metal dusting of low- and high-alloy, 711
 type 1020 steel, effect on hydrogen transport, concentration, diffusion, and embrittlement, 30

Colorimetric testing
 boilers, monitoring for ferrous and total iron, 797

Composites. See Metal-matrix composites

Computer modeling. See Modeling

Concrete. See also Reinforced concrete
 active and passive zones, identification of in reinforced, 145
 cathodic protection of simulated prestressed pilings in seawater, 386
 chloride ion barriers, small electric fields in the protection of steel in, 721
 corrosion rate, assessment of corrosion rate in reinforced bridge components, 602

Concrete resistance. See also Resistance
 cathodic protection of simulated prestressed pilings in seawater, 386
 reinforcement corrosion rates in concrete bridge components, assessment of three instruments, 602

Constant deflection testing
 low-temperature annealing and irradiation-assisted stress corrosion cracking, 731

Constant extension rate testing
 activation energy, modeling of complex physicochemical processes, 698
 alloy 600, effect of temperature and cold work on crack growth rate in primary water, 689
 iron-manganese-aluminum alloys, environmentally assisted cracking in, 399
 low-temperature annealing and irradiation-assisted stress corrosion cracking, 731
 nickel-based alloys, creep and intergranular cracking in 360°C water, 837

Constant load testing
 activation energy, modeling of complex physicochemical processes, 698
 alloy 600, effect of specimen thickness on cracking in high-temperature water, 376
 iron-manganese-aluminum alloys, environmentally assisted cracking in, 399
 nickel-based alloys, creep and intergranular cracking in 360°C water, 837

Constant phase element
 Warburg impedance, physical interpretation and adsorption pseudocapacitance, 664

Constant potential etching. See also Etching
 stainless steel, intergranular corrosion testing by, 463

Containers
 alloy 825, effect of chromium depletion on localized corrosion, 618
 local electrochemical impedance spectroscopy to examine coating failure, 251

Cooling water. See also Water
 mild steel, determination of localized corrosion rates in, 153

Copper and copper alloys. See also Alloying
 aluminum, in chloride solution containing carbon dioxide, bicarbonate, and copper ions, 544, 631
 aluminum-lithium-copper alloys, preexposure phenomenon, 417
 aluminum-magnesium-silicon-copper alloys, intergranular corrosion of heat-treated, 50
 annealed and hard-drawn in soft tap water, 469
 bicarbonate ions, influence in carbonate-bicarbonate buffers, 682
 hydroxy benzophenoximes, inhibition by, 367
 lubricants, susceptibility of type 4145 steel to fatigue in drilling muds, 941
 mild steel, inhibiting performance of dibenzyl sulfide on pickling, 593
 petroleum production equipment, galvanic couples, 482
 type 304 stainless steel, effect of alloying on corrosion and passivation behaviors, 3

Copper strip corrosion. See also Corrosion
 elemental mercaptans, effect on, 558

Copper sulfide
 aluminum, effect of hydrogen sulfide on aqueous corrosion of commercially pure, 631

Corrosion. See Aqueous
 corrosion; Atmospheric corrosion; Carbon dioxide corrosion; Cavitation corrosion; Copper strip corrosion; Creep; Crevice corrosion; Electrochemical attack; End-grain attack; Environmental corrosion; Environmentally assisted cracking; Erosion-corrosion; Galvanic corrosion; General corrosion; High-temperature corrosion; Hydrogen sulfide corrosion; Hydrogen sulfide cracking; Hydrogen-induced cracking; Intercrystalline corrosion; Intergranular corrosion; Intergranular stress corrosion cracking; Irradiation and irradiation-assisted stress corrosion cracking; Localized corrosion; Metal dusting; Occluded cell corrosion; Photocorrosion; Pitting corrosion; Precorrosion; Rebar and rebar corrosion; Soil corrosion; Stepwise corrosion; Stepwise cracking; Stress corrosion cracking; Sulfide stress corrosion cracking; Transgranular stress corrosion

cracking; Transpassive corrosion; Tunneling corrosion; Underdeposit corrosion; Underground corrosion; Uniform corrosion

Corrosion behavior
 Al 7075, effect of sulfate ions on inhibition in sodium chloride, 185
 Al 99.5 in chloride solution containing carbon dioxide, bicarbonate, and copper ions, 544, 631
 aluminum-lithium-copper alloys, preexposure phenomenon, 417
 austenitic stainless steel, effect of neutron irradiation on transpassive, 651
 copper, corrosion behavior with benzotriazole and other organic surfactants, 367
 copper, annealed and hard-drawn in soft tap water, 469
 corrosion-resistant alloys, application limits in sour service, 239
 duplex stainless steel, dissolution mechanism in the active-to-passive transition range, 571
 duplex stainless steel, effect of ruthenium on in sulfuric acid, 312
 duplex stainless steel, effect of gamma phase on wear in sulfuric acid, 456
 ferral alloys, effect of ferrite on in sodium chloride, 738
 metal-matrix composites, aluminum, 610
 nickel-aluminum bronze in seawater, 331
 powder metallurgy iron, effect of coating time on electroless nickel-phosphorus coated, 581
 type 304 stainless steel, effect of alloying on in dilute chloride solution, 3

Corrosion current. See also Current
 electrochemical noise, corrosion monitoring in steel and aluminum based on, 295
 reinforced concrete, assessment of active and passive zones in, 145

Corrosion engineering
 advances in, 270

Corrosion monitoring. See also Ultrasonic monitoring
 iron, colorimetric testing for ferrous and total in industrial boiler systems, 797
 mild steel, localized corrosion rates, 153
 steel and aluminum, system based on electrochemical noise, 295

Corrosion potential. See also Potential
 austenitic stainless steel, effect of stress on occluded cell corrosion, 177
 carbon steel, adsorption of octadecyldimethylbenzylammonium chloride, by Raman spectroscopy, 891
 carbon steel in carbon dioxide-saturated solution containing hydrogen sulfide, 260
 duplex stainless steel, effect of ruthenium on in sulfuric acid, 312
 electrochemical noise, corrosion monitoring in steel and aluminum based on, 295
 epoxy coatings, effect of porosity on resistance to cold-wall blistering, 861
 faradaic impedance, determination of an electrode reaction, application to metal corrosion rate, 105
 ferral alloys, effect of ferrite on corrosion in sodium chloride, 738
 iron-manganese-aluminum alloys, environmentally assisted cracking, 399
 low-alloy steel, crack tip microsampling and growth rate in high-temperature water, 223
 metal-matrix composites, aluminum, 610
 mild steel, effect of dibenzyl sulfide on pickling in sulfuric acid, 593
 petroleum production equipment, galvanic couples, 482
 powder metallurgy iron, effect of coating time on electroless nickel-phosphorus coated, 581
 reinforced concrete, identification of active and passive zones in, 145
 steel, effect of pH on inhibition by polyaspartic acid, 818
 steel, zinc phosphate as a primer for, 116

Corrosion product

- aluminum-copper alloys, intergranular corrosion, 50
- iron, colorimetric testing for ferrous and total in industrial boiler systems, 797
- mild steel, influence of quarternary amines on surface films, polarization resistance, 321

Corrosion promoters

- mild steel, role of hydrogen promoters on corrosion and hydrogenation, 537

Corrosion rate

- Activation energy, modeling of complex physicochemical processes, 696
- Al 99.5 in chloride solution containing carbon dioxide, bicarbonate, and copper ions, 544, 631
- aluminum, 5-benzylidene-1-methyl-2-methylthio-imidazole-4-one for in acid solution, 436
- aluminum alloys, effect of sulfate ions on, 185
- carbon dioxide corrosion, comparison of rotating cylinder and pipe flow tests, 773
- carbon steel, adsorption of octadecyldimethylbenzylammonium chloride, by Raman spectroscopy, 891
- carbon steel, in carbon dioxide-saturated solution containing hydrogen sulfide, 260
- duplex stainless steel, dissolution mechanism in the active-to-passive transition range, 571
- duplex stainless steel, effect of ruthenium on in sulfuric acid, 312
- faradaic impedance determination of an electrode reaction application to metal corrosion, 105
- industrial boiler systems, colorimetric testing for ferrous and total iron, 797
- mild steel, effect of dibenzyl sulfoxide on pickling in sulfuric acid, 593
- mild steel, determination in cooling water chemistries, 153
- mild steel, role of hydrogen promoters on corrosion and hydrogenation, 537
- petroleum production equipment, galvanic couples, 482
- powder metallurgy iron, effect of coating time on electroless nickel-phosphorus coated, 581
- reinforced concrete, identification of active and passive zones in, 145
- reinforcement corrosion rates in concrete bridge components, assessment of three instruments, 602
- reinforcing steel, effect of current distribution on measurements, 79
- steel and aluminum, system based on electrochemical noise, 295
- steel, effect of pH on inhibition by polyaspartic acid, 818
- steel, zinc phosphate as a primer for, 116
- stress, effect on occluded cell corrosion, 177
- titanium, effect of photocorrosion of passive films on, 206
- zinc, imidazole derivatives as inhibitors in hydrochloric acid, 767

Corrosion resistance. See also Corrosion-resistant alloys; Resistance

- 18-8 stainless steel, effect of complex inclusions on pit initiation, 343
- 25% Cr-20% Ni-Nb stainless steel, tunneling corrosion mechanism in nitric acid, 507
- Al 7075, in the presence of oxalate anions, 19
- Al 99.5 in chloride solution containing carbon dioxide, bicarbonate, and copper ions, 544, 631
- alloy 718 and type 4340 steel, bismuth electroplating, 429
- alloy 825, effect of chromium depletion on localized corrosion, 618
- alumina- and silicon carbide-aluminum metal-matrix composites, corrosion behavior, 610
- aluminum-coated steel, phase constitution of the iron-aluminum alloy layer in hydrogen sulfide, 234
- carbon steel, effect of stearic acid on, 45
- copper, effect of annealing on, 367

- duplex stainless steel, effect of ruthenium on high-chromium, 312
- iron-manganese-aluminum alloys, environment-assisted cracking in sodium chloride, 399
- magnesium-yttrium alloys, nonequilibrium, 922
- mild steel, local electrochemical impedance spectroscopy to examine coating failure, 251
- polycrystals, solitonic theory of crystal surface stability and, 528
- powder metallurgy iron, effect of coating time on electroless nickel-phosphorus coated, 581
- stainless steel, effect of nitrogen on, 911
- type 304 stainless steel, effect of alloying on in dilute chloride solution, 3

Corrosion science

- advances in, 270

Corrosion-resistant alloys. See also Alloying; Corrosion resistance

- oilfield service, application limits in sour service, 239

Corrosive wear. See Wear**Couples**

- steel, cathodic protection by electrodeposited zinc-nickel alloy coatings, 932

Crack growth and propagation

- alloy 600, effect of specimen thickness on cracking in high-temperature water, 376
- alloy 600, effect of temperature and cold work on in primary water, 689
- austenitic stainless steel, effect of stress on occluded cell corrosion, 177
- inhibitors, protection by at the fatigue crack growth stage, 284
- low-alloy steel, microsampling and growth rate measurements in high-temperature water, 223
- stainless steel, crevice corrosion in seawater, 56
- type 4145 steel, susceptibility to fatigue in drilling muds, 941
- X-60 line pipe steel in carbonate-bicarbonate solution, 91

Crack velocity

- austenitic stainless steel, galvanostatic, crevice stress corrosion test for, 171

Cracking. See Environmentally assisted cracking; Hydrogen sulfide cracking; Hydrogen-induced cracking; Intergranular stress corrosion cracking; Irradiation and irradiation-assisted stress corrosion cracking; Stepwise cracking; Stress corrosion cracking; Sulfide stress cracking; Transgranular stress corrosion cracking

- Creep. **See also Corrosion**
- nickel-based alloys, creep and intergranular cracking in 360°C water, 837
- Crevice corrosion. **See also Corrosion**
- 18-8 stainless steel, effect of complex inclusions on pit initiation, 343
- mild steel, determination in cooling water chemistries, 153
- stainless steel, effect of biofilms on in seawater, 56
- stainless steel, effect of nitrogen on, 911
- stainless steel, galvanostatic crevice stress corrosion test, 171
- stainless steel, repassivation temperatures of highly alloyed, 750
- superferritic stainless steel, dissimilar metal crevice corrosion, 826
- Critical crevice solutions
- superferritic stainless steel, dissimilar metal crevice corrosion, 826
- Crystal
- surface stability in aggressive media, solitonic theory, 528
- Current. **See also Alternating current; Anodic current; Cathodic current; Corrosion current; Direct current; Galvanic current; Impressed current; Passive current**

- duplex stainless steel, dissolution mechanism in the active/passive transition range, 571
- electrochemical noise, modeling, 131
- mild steel, corrosion rate determination in cooling water chemistries, 153
- reinforcing steel, effect on corrosion rate distribution, 79
- reinforcement corrosion rates in concrete bridge components, assessment of three instruments, 602

Current density

- concrete, cathodic protection of simulated prestressed pilings in seawater, 386
- crystal surface stability in aggressive media, solitonic theory, 528
- iron-manganese-aluminum alloys, environmentally assisted cracking in, 399
- magnesium-yttrium alloys, corrosion resistance of nonequilibrium, 922
- mild steel, role of hydrogen promoters on corrosion and hydrogenation, 537
- nickel, effect of orthoaminothiophenol on in sodium chloride, 788
- nickel-aluminum bronze, cavitation corrosion, 331
- reinforcing steel, effect of corrosion rate on measurements in, 79
- reinforcing steel, in concrete, chloride ion barriers, small electric fields in, 721
- stainless steel, effect of biofilms on crevice corrosion in seawater, 56
- thin films, effect on, 270
- type 304 stainless steel, decay by nickel ion irradiation, 11
- type 304 stainless steel, effect of alloying on, 3
- type 304 stainless steel, surface roughness and metastable pitting, 380
- type 4145 steel, susceptibility to corrosion fatigue in drilling muds, 941
- zinc anodes, laboratory performance for impressed current cathodic protection of reinforced concrete, 639
- zinc monocrystals, pitting corrosion of passivated, 356

Cyclic polarization testing. See also Polarization

- stainless steel, crevice corrosion repassivation temperatures of highly alloyed, 750

Cyclic voltammetry

- 18-8 stainless steel, effect of complex inclusions on pit initiation, 343
- alloy 718 and type 4340 steel, bismuth electroplating, 429

D**Defects**

- local electrochemical impedance spectroscopy to examine coating failure, 251
- zinc anodes, laboratory performance for impressed current cathodic protection of reinforced concrete, 639

Degradation

- coated steel, evaluation of using impedance spectroscopy, 97
- erosion and erosion-corrosion of metals, 872
- zinc anodes, laboratory performance for impressed current cathodic protection of reinforced concrete, 639

Delamination

- reinforced concrete, zinc wire as a sacrificial anode in protection of, 679

Depassivation. See Passivation**Depolarization. See also Polarization**

- simulated prestressed concrete
- pilings in seawater, 386

Descaling. See Scales and scaling**Desulfurization. See Sulfur****Desincification**

- steel, cathodic protection by electrodeposited zinc-nickel alloy coatings, 932

Dibenzyl sulfoxide

- mild steel, improving inhibiting performance of pickling in sulfuric acid, 593

Diffusion. See also Hydrogen diffusion

- 18-8 stainless steel, effect of complex inclusions on pit initiation, 343

- activation energy, modeling of complex physicochemical processes, 698
- epoxy coatings, effect of porosity on resistance to cold-wall blistering, 861
- steel in concrete, chloride ion barriers, small electric fields in the protection of, 721
- type 304 stainless steel, surface roughness and metastable pitting, 380
- zinc anodes, laboratory performance for impressed current cathodic protection of reinforced concrete, 639
- zirconium, formation and dissolution of the anodic oxide film in alcohol solution, 744
- Diorthosaminodiphenylsulfane**
Al 6063, organic compounds as inhibitors in deaerated carbonate solution, 811
- Direct current. See also Current**
low-alloy steel, potential drop in crack tip microsampling, 223
- Disbondment**
epoxy coatings, effect of porosity on resistance to cold-wall blistering, 861
- zinc anodes, laboratory performance for impressed current cathodic protection of reinforced concrete, 639
- Dislocations**
austenitic stainless steel, effect of neutron irradiation on transpassive corrosion, 651
- cold-worked steel, hydrogen embrittlement, 30
- crystal surface stability in aggressive media, solitonic theory, 528
- nickel-based alloys, creep and intergranular cracking in 360°C water, 837
- Dissolution. See also Anodic dissolution; Electrodisolution**
18-8 stainless steel, effect of complex inclusions on pit initiation, 343
- aluminum-magnesium-silicon-copper alloys, intergranular corrosion of heat-treated, 50
- copper, influence of bicarbonate ions in carbonate-bicarbonate buffers, 682
- crystal surface stability in aggressive media, solitonic theory, 528
- duplex stainless steel, mechanism in the active/passive transition range, 571
- low-alloy steel, crack tip microsampling and growth rate in high-temperature, 223
- mild steel, role of hydrogen promoters on corrosion and hydrogenation, 537
- nickel-aluminum bronze, cavitation corrosion, 331
- stainless steel, effect of neutron irradiation on transpassive corrosion, 651
- titanium, photocorrosion of passive films on in sulfuric acid, 206
- type 304 stainless steel, effect of nickel ion irradiation, 11
- type 304 stainless steel, surface roughness and metastable pitting, 380
- Dissolved oxygen. See also Oxygen**
low-alloy steel, microsampling and growth rate measurements in high-temperature water, 223
- type 304 stainless steel, intergranular cracking of irradiated thermally sensitized, 757
- Disulfides**
copper strip corrosion, effect of elemental sulfur and mercaptans, 558
- Dopants**
type 304 stainless steel, in doped high-temperature water, 901
- type 4145 steel, susceptibility to fatigue in drilling muds, 941
- Drill pipes**
type 4145 steel, susceptibility to fatigue in drilling muds, 941
- Drilling muds**
type 4145 steel, susceptibility to fatigue in, 941
- Ductile metals**
erosion and erosion-corrosion of metals, 872
- Duplex stainless steel. See also By type; By UNS number; Stainless steel; Steel**
corrosion-resistant alloys, application limits in oilfield service, 239
- crevice corrosion repassivation temperatures of highly alloyed, 750
- dissolution mechanism in the active-passive transition range and role of microstructure, 571
- gamma phase, effect on wear in sulfuric acid, 456
- nitrogen, effect on corrosion properties, 911
- ruthenium, effect on high-chromium, 312
- E**
- Electric fields**
chloride ion barriers, small electric fields in the protection of steel in concrete, 721
- Electric signal confinement**
reinforced concrete, identification of active and passive zones in, 145
- Electric utilities**
epoxy coatings, effect of porosity on resistance to cold-wall blistering, 861
- Electrical resistance. See also Resistance**
vs electrochemical noise to monitor corrosion in steel and aluminum, 295
- Electrochemical attack. See also Corrosion**
aluminum-coated steel, corrosion of the alloy layer and the welding zone, 234
- Electrochemical behavior**
aluminum, in chloride solution containing carbon dioxide, bicarbonate, and copper ions, 544, 631
- carbon steel in carbon dioxide-saturated solution containing hydrogen sulfide, 260
- copper, influence of bicarbonate ions in carbonate-bicarbonate buffers, 682
- nickel-aluminum bronze, cavitation corrosion, 331
- Electrochemical impedance spectroscopy. See also Impedance**
18-8 stainless steel, effect of complex inclusions on pit initiation, 343
- coated steel, evaluation of degradation, 97
- coating failure, examination, 251
- faradaic impedance determination of an electrode reaction application to metal corrosion, 105
- steel, effect of pH on inhibition by polyaspartic acid, 818
- Warburg impedance, physical interpretation and adsorption pseudocapacitance, 664
- Electrochemical measurements**
current distribution, effect on corrosion rate in reinforcing steel in concrete, 79
- reinforcement corrosion rates in concrete bridge components, assessment of three instruments, 602
- superferritic stainless steel, dissimilar metal crevice corrosion, 826
- Electrochemical noise**
18-8 stainless steel, effect of complex inclusions on pit initiation, 343
- measurement, modeling, and analysis, 131
- Electrochemical potential. See also Potential**
crystal surface stability in aggressive media, solitonic theory, 528
- galvanic couples, petroleum production equipment, 482
- silver-silver chloride and mercury-calomel electrodes, effect of gamma radiation, 450
- Electrochemical potentiodynamic reactivation test**
type 304L stainless steel, in evaluating intergranular corrosion, 124
- Electrochemical potentiokinetic reactivation test**
alloy 600, susceptibility to intergranular stress corrosion cracking, 441
- stainless steel, intergranular corrosion testing by constant potential etching, 463
- Electrochemical sensors**
hydrogen, monitoring in commercial pipeline steel, 301
- Electrochemical testing**
17-4 precipitation-hardenable stainless steel weldments, effect of heat treatment and heat input, 586
- corrosion-resistant alloys, application limits in sour service, 239
- mild steel, determination of localized corrosion rates in cooling water chemistries, 153
- mild steel, role of hydrogen promoters on corrosion and hydrogenation, 537
- reinforced concrete, assessment of active and passive zones in, 145
- zinc, imidazole derivatives as inhibitors for in hydrochloric acid, 767
- zinc phosphate as a primer for steel, 116
- Electrode. See also Barnacle**
electrode; Calomel electrode; Fractal electrode; Guard electrode; Reference electrode; Rotating cylinder electrode; Rotating disk electrode; Silver-silver chloride electrode
- faradaic impedance of an electrode reaction, application to metal corrosion rate, 105
- rotating, influence of bicarbonate ions on stability of copper in carbonate-bicarbonate buffers, 682
- Electrodisolution. See also Dissolution**
copper, influence of bicarbonate ions in carbonate-bicarbonate buffers, 682
- Electroless coatings. See also Coatings**
powder metallurgy iron, effect of coating time on electroless nickel-phosphorus coatings, 581
- Electrolysis**
alloy 718 and type 4340 steel, bismuth electroplating, 429
- Electrolytic etching. See also Etching**
stainless steel, intergranular corrosion testing by constant potential etching, 463
- Electron spin resonance**
polyphenols, radical scavenging effect and anticorrosive properties, 37
- Electroplating**
alloy 718 and type 4340 steel, bismuth electroplating, 429
- steel, cathodic protection by electrodeposited zinc-nickel alloy coatings, 932
- Electroslag remelting process**
25% Cr-20% Ni-Nb stainless steel, tunneling corrosion mechanism in nitric acid, 507
- Embrittlement. See Hydrogen embrittlement; Preexposure embrittlement**
- End-grain attack. See also Corrosion**
25% Cr-20% Ni-Nb stainless steel, tunneling corrosion mechanism in nitric acid, 507
- Energy dispersive spectroscopy**
18-8 stainless steel, effect of complex inclusions on pit initiation, 343
- heat-resistant alloys, cyclic oxidation plus carburization, 191
- magnesium-yttrium alloys, corrosion resistance of nonequilibrium, 922
- Energy dispersive x-ray analysis. See also X-ray analysis**
copper strip corrosion, effect of elemental sulfur and mercaptans, 558
- steel, zinc phosphate as a primer, 116
- type 304 stainless steel, effect of alloying on corrosion and passivation behaviors, 3
- Environmental corrosion and cracking. See also Corrosion; Cracking; Environmentally assisted cracking**
17-4 precipitation-hardenable stainless steel, effect of applied potential on cracking behavior, 498
- alloy 600, effect of specimen thickness on cracking in high-temperature water, 376
- type 4145 steel, susceptibility to fatigue in drilling muds, 941
- Environmental enhancement**
nickel-based alloys, creep and intergranular cracking in 360°C water, 837
- Environmental regulation**
chromate coatings, replacements for, 67
- chromium, as a pretreatment ingredient for aluminum alloys, 71
- zinc chromate conversion coatings, 116
- Environmentally assisted cracking. See also Corrosion; Cracking; Environmental corrosion and cracking**
iron-manganese-aluminum alloys, 399

low-alloy steel, microsampling and growth rate measurements in high-temperature water, 223

Epoxy coatings. See also Coatings

coated steel, evaluation of degradation using impedance spectroscopy, 97

local electrochemical impedance spectroscopy, 251

porosity, effect on resistance to cold-wall blistering, 861

Equivalent circuit

Warburg impedance, physical interpretation and adsorption pseudocapacitance, 664

Erosion and erosion-corrosion. See also Corrosion

metals, 872

Etching. See Constant potential etching; Electrolytic etching

F

Faradaic impedance. See also Impedance

determination of an electrode reaction, application to metal corrosion rate measurement, 105

Fatigue

crack growth, protection by inhibitors, 284

type 4145 steel, susceptibility to in drilling

muds, 941

Feedwater. See also Reactors; Water

industrial boiler systems, colorimetric tests for

ferrous and total iron, 797

Ferrite

ferral alloys, effect on in sodium chloride solution, 738

steel, metal dusting of low- and high-alloy,

711

Field testing

corrosion-resistant alloys in oilfield service, 239

galvanic couples, petroleum production equipment, 482

reinforcement corrosion rates in concrete bridge components, assessment of three instruments, 602

Films and film formation. See also Biofilm; Thin films

aluminum-lithium-copper alloys, preexposure phenomenon, 417

carbon dioxide corrosion, comparison of rotating cylinder and pipe flow tests, 773

carbon steel, in carbon dioxide-saturated solution containing hydrogen sulfide, 260

carbon steel, stearic acid as an inhibitor, 45

carbon steel, tellurium-based conversion coatings for, 67

copper, annealed and hard-drawn in soft tap water, 469

copper, effect of benzotriazole and other organic surfactants on, 367

copper, influence of bicarbonate ions on prepassive layers on, 682

mild steel, influence of quaternary amines on surface films and polarization resistance, 321

nickel, effect of orthoaminothiophenol product on in sodium chloride, 788

nickel-based alloys, creep and intergranular cracking in 360°C water, 837

reinforced steel in concrete, chloride ion barriers, small electric fields in, 721

titanium, effect of photocorrosion on in sulfuric acid, 206

type 316 steel, oxide films formed in normal and hydrogen water chemistries, 849

X-60 line pipe steel, effect on stress corrosion cracking, 91

zinc monocrystals, pitting corrosion of passivated, 356

zinc oxygen corrosion kinetics in neutral solution, under laser illumination, 672

zirconium, formation and dissolution of the anodic oxide film in alcohol solution, 744

Flicker noise. See Electrochemical noise

Flow

25% Cr-20% Ni-Nb stainless steel, tunneling corrosion mechanism in nitric acid, 507

carbon dioxide corrosion, comparison of rotating cylinder and pipe flow tests, 773

copper, hard-drawn and annealed in soft tap water, 469

erosion and erosion-corrosion of metals, 872

low- and high-alloy steel, metal dusting, 711

mild steel, influence of quaternary amines on surface films, polarization resistance, and 321

Fluence. See Neutron fluence; Threshold fluence

Flux

pipeline steel, solid-state potentiometric sensor for monitoring hydrogen, 301

Furling

25% Cr-20% Ni-Nb stainless steel, tunneling corrosion mechanism in nitric acid, 507

Fourier transform infrared spectroscopy

carbon steel, characterization of tellurium-based conversion coatings, 67

copper, inhibition with benzotriazole and other organic surfactants, 367

Fractal electrode. See also Electrode

electrochemical noise, modeling, 131

Fractography

type 4145 steel, susceptibility to fatigue in drilling muds, 941

Fracture mechanics

alloy 600, effect of specimen thickness on cracking in high-temperature water, 376

type 1020 steel, effect of cold work on in sour service, 30

X-60 steel, stress corrosion cracking in carbonate-bicarbonate solution, 91

Free corrosion potential. See also Potential

18-8 stainless steel, effect of complex inclusions on pit initiation, 343

nickel-aluminum bronze, cavitation corrosion, 331

Frequency

Warburg impedance, physical interpretation and adsorption pseudocapacitance, 664

Fresh water. See Ground water; Water

Frumkin isotherm

adsorption models, nonlinear group contribution, 201

iron, L-methionine methyl ester hydrochloride as an inhibitor for, 411

Fusion reactors. See also Reactors

austenitic stainless steel, effect of neutron irradiation on transpassive corrosion, 651

Fusion zone

aluminum-coated steel, corrosion of the alloy layer and welding zone, 234

Fuzzy mathematics

to evaluate underground corrosion, 491

G

Gallic acid and gallotannins

radical scavenging effect and anticorrosive properties, relation, 37

Galvanic corrosion. See also Corrosion

25% Cr-20% Ni-Nb stainless steel, tunneling corrosion mechanism in nitric acid, 507

nickel-aluminum bronze in seawater, 331

petroleum production equipment, galvanic couples, 482

superferritic stainless steel, dissimilar metal crevice corrosion, 826

Galvanic couples

duplex stainless steel, dissolution mechanism in the active-to-passive transition range, 571

petroleum production equipment, galvanic couples, 482

Galvanic current. See also Current

galvanic couples, petroleum production equipment, 482

reinforced concrete, identification of active and passive zones in, 145

Galvanic testing

magnesium-yttrium alloys, corrosion resistance of nonequilibrium, 922

Galvanostatic testing

stainless steel, galvanostatic creviced stress corrosion test, 171

Gamma back-scattering technique

general corrosion, monitoring in a circulating rig, 660

Gamma radiation. See also Irradiation and irradiation-assisted stress corrosion cracking; Nuclear power; Radiation; Reactors

silver-silver chloride and mercury-calomel electrodes, effect on stability, 450

Gas tungsten arc welding. See also Welding

17-4 precipitation-hardenable stainless steel, effect of applied potential on environmental cracking behavior, 498

17-4 precipitation-hardenable stainless steel weldments, effect of heat treatment and heat input on, 586

Gas volumetry

aluminum pigments, isoelectric point and inhibition in aqueous alkaline media, 625

General corrosion. See also Corrosion

25% Cr-20% Ni-Nb stainless steel, tunneling corrosion mechanism in nitric acid, 507

alloy 600, electrochemical potentiokinetic reactivation test to evaluate, 441

copper, hard-drawn and annealed in soft tap water, 469

ferral alloys, effect of ferrite on in sodium chloride, 738

gamma back-scattering technique to monitor corrosion in a circulating rig, 660

type 304 stainless steel, effect of alloying on corrosion and passivation, 3

Grain boundary

alloy 600, electrochemical potentiokinetic reactivation test to evaluate, 441

austenitic stainless steel, effect of neutron irradiation on transpassive attack, 651

heat-resistant alloys, cyclic oxidation plus carburization, 191

nickel-aluminum bronze in seawater, cavitation corrosion, 331

nickel-based alloys, cavitation and sliding in high-temperature water, 837

stainless steel, intergranular corrosion testing by constant potential etching, 463

type 304 stainless steel, radiation-induced segregation and intergranular corrosion, 11

Grain effects

crystal surface stability in aggressive media, solitonic theory, 528

Graphitization

steel, metal dusting of low- and high-alloy, 711

Gravimetric polarization. See also Polarization

polyphenols, to study radical scavenging effect and anticorrosive properties, 37

Gravimetric testing

zinc, imidazole derivatives as inhibitors for in hydrochloric acid, 767

Ground water. See also Water

Al 99.5 in chloride solution containing carbon dioxide, bicarbonate, and copper ions, 544, 631

alloy 825, localized corrosion and chromium depletion as a nuclear waste container material, 618

pipelines, generation of stress corrosion cracking environments, 518

Guard electrode. See also Electrode

reinforcement corrosion rates in concrete bridge components, assessment of three instruments, 602

H

Hardness

17-4 precipitation-hardenable stainless steel, effect of applied potentials on environmental cracking, 498

duplex stainless steel, effect of γ phase on in sulfuric acid, 456

low-temperature annealing and irradiation-assisted stress corrosion cracking, 731

type 304 stainless steel, intergranular cracking of irradiated thermally sensitized, 757

Hazardous waste. See also Radioactive waste; waste

supercritical water oxidation, 270

Heat exchangers

alloy 600, electrochemical potentiokinetic reactivation test to evaluate, 441

Heat treatment

17-4 precipitation-hardenable stainless steel, effect of applied potential on environmental cracking behavior, 498

17-4 precipitation-hardenable stainless steel weldments, effect of heat treatment and heat input, 586

duplex stainless steel, effect of γ phase on corrosive wear in sulfuric acid, 456
mild steel, local electrochemical impedance spectra to examine coating failure, 251
powder metallurgy iron, effect of coating time on electroless nickel-phosphorus coated, 581

Heat-affected zone

17-4 precipitation-hardenable stainless steel weldments, effect of heat treatment and heat input, 586

17-4 stainless steel, effect of applied potentials on environmental cracking, 498
aluminum-coated steel, corrosion of the alloy layer and the welding zone, 234

Heat-resistant alloys. See also Alloying

cyclic oxidation plus carburization, 191

Hematite

type 316 steel, oxide films formed in normal and hydrogen water chemistries, 849

Heterocyclic compounds

zinc, imidazole derivatives as inhibitors, 767

High-alloy steel. See also Alloying; By type; By UNS number; Steel

crevice corrosion repassivation temperatures, 750

metal dusting, 711

stainless steel, intergranular corrosion testing by constant potential etching, 463

High-purity water. See also Water

low-alloy steel, crack tip microsampling and growth rate measurements in high-temperature, 223

nickel-based alloys, effect on creep and intergranular cracking in 360°C water, 837

High-strength steel. See By type; By UNS number; Steel**High-temperature corrosion. See also Corrosion; Temperature**

alloy 600, effect of temperature and cold work on crack growth rate in primary water, 689
steel, metal dusting of low- and high-alloy, 711

High-temperature water. See also Temperature; Water

alloy 600, effect of cold work and temperature on crack growth rate in primary water, 689
alloy 600, effect of specimen thickness on cracking, 376

low-alloy steel, microsampling and growth rate measurements, 223

nickel-based alloys, grain boundary cavitation and sliding, 837

type 304 stainless steel, intergranular cracking of irradiated thermally sensitized, 757

type 304 stainless steel, stress corrosion cracking in doped, 901

type 316 steel, oxide films formed in normal and hydrogen water chemistries, 849

Hot rolling

copper, effect of benzotriazole and, 367

Hydrochloric acid and solutions

18-8 stainless steel, effect of complex inclusions on pit initiation, 343

aluminum, inhibition of acid corrosion with 5-benzylidene-1-methyl-2-methylthioimidazole-4-one, 436

aluminum-magnesium-silicon-copper alloys, intergranular corrosion of heat-treated, 50

duplex stainless steel, dissolution mechanism in the active-passive transition range, 571

general corrosion, gamma back scattering technique to monitor corrosion in a circulating rig, 660

iron, L-methionine methyl ester hydrochloride as an inhibitor for, 411

mild steel, role of hydrogen promoters on corrosion and hydrogenation, 537

powder metallurgy iron, effect of coating time on electroless nickel-phosphorus coated, 581

stainless steel, intergranular corrosion testing by constant potential etching, 463

superferritic stainless steel, dissimilar metal crevice corrosion, 826

zinc, imidazole derivatives as inhibitors, 767

Hydrodynamics

carbon dioxide corrosion, comparison of rotating cylinder and pipe flow tests, 773
steel, effect of pH on inhibition by polyaspartic acid, 818

Hydrogen absorption. See also Absorption

alloy 718 and type 4340 steel, bismuth electroplating, 429

mild steel, role of hydrogen promoters on corrosion and hydrogenation, 537

Hydrogen adsorption. See also Adsorption

type 1020 steel, effect of cold work in sour service, 30

Hydrogen diffusion. See also Diffusion

pipeline steel, solid-state potentiometric sensor for monitoring, 301

type 1020 steel, effect of cold work in sour service, 30

Hydrogen embrittlement. See also Embrittlement

alloy 718 and type 4340 steel, bismuth electroplating to prevent, 429

inhibitors, protection by at the fatigue crack growth stage, 284

iron-manganese-aluminum alloys, environment-assisted cracking in sodium chloride, 399

nickel-based alloys, grain boundary cavitation and sliding in high-temperature water, 837
simulated prestressed concrete pilings in seawater, 386

type 1020 steel, effect of cold work in sour service, 30

type 4145 steel, susceptibility to fatigue in drilling muds, 941

Hydrogen estimation testing

mild steel, role of hydrogen promoters on corrosion and hydrogenation, 537

Hydrogen evolution

alloy 718 and type 4340 steel, bismuth electroplating, 429

aluminum, inhibition of acid corrosion with 5-benzylidene-1-methyl-2-methylthioimidazole-4-one, 436

aluminum pigments, isoelectric point and inhibition in aqueous alkaline media, 625

duplex stainless steel, effect of ruthenium on high-chromium, 312

iron, L-methionine methyl ester hydrochloride as an inhibitor for, 411

mild steel, role of hydrogen promoters on corrosion and hydrogenation, 537

Hydrogen permeation. See also Permeation and permeation testing

alloy 718 and type 4340 steel, bismuth electroplating, 429

type 4145 steel, susceptibility to fatigue in drilling muds and, 941

Hydrogen reduction

iron, L-methionine methyl ester hydrochloride as an inhibitor, 411

nickel-based alloys, effect on creep and intergranular cracking in 360°C water, 837

Hydrogen sulfide and solutions

Al 99.5 in chloride solution containing carbon dioxide, bicarbonate, and copper ions, 544, 631

aluminum-coated steel, 234

carbon steel, in carbon dioxide-saturated solution containing, 260

corrosion-resistant alloys, application limits in sour service, 239

petroleum production equipment, galvanic couples, 482

pipeline steel, solid-state potentiometric sensor for monitoring hydrogen, 301

steel, metal dusting of low- and high-alloy, 711

type 1020 steel, effect of cold work, 30

Hydrogen sulfide corrosion. See also Corrosion

aluminum, effect on aqueous corrosion of commercially pure, 544, 631

aluminum-coated steel, phase constitution of the iron-aluminum alloy layer, 234

carbon steel, in carbon dioxide-saturated solution, 260

corrosion-resistant alloys, application limits in sour service, 239

steel, metal dusting of low- and high-alloy, 711

Hydrogen sulfide cracking. See also Corrosion; Cracking

steel, monitoring in commercial pipeline, 301

Hydrogen transport

type 1020 steel, effect of cold work in sour service, 30

Hydrogen water chemistries

type 316 stainless steel, oxide films formed in 288°C water, 849

Hydrogen-assisted creep

nickel-based alloys, effect on creep and intergranular cracking in 360°C water, 837

Hydrogen-induced cracking. See also Corrosion; Cracking

pipeline steel, solid-state potentiometric sensor for monitoring, 301

Hydrogenation

mild steel, role of hydrogen promoters, 537

I**Imidazole**

derivatives, as inhibitors for zinc in hydrochloric acid, 767

Immersion testing

25% Cr-20% Ni-Nb stainless steel, tunneling corrosion mechanism in nitric acid, 507

Al 7075, in sodium oxalate solution, 19

aluminum alloys, effect of sulfate ions on inhibition, 185

aluminum, effect of hydrogen sulfide on aqueous corrosion of commercially pure, 544, 631

aluminum-copper alloys, intergranular corrosion in salt water exposures, 50

corrosion-resistant alloys, application limits in sour service, 239

epoxy coatings, effect of porosity on resistance to cold-wall blistering, 861

ferritic alloys, effect of ferrite in sodium chloride, 738

metal-matrix composites, aluminum, 610

steel, effect of pH on inhibition by polyaspartic acid, 818

Impedance. See also Electrochemical Impedance; Faradaic Impedance

Al 7075, pitting corrosion resistance in the presence of oxalate anions, 19

carbon dioxide corrosion, comparison of rotating cylinder and pipe flow tests, 773

copper, hard-drawn and annealed in soft tap water, 469

Warburg, physical interpretation and adsorption pseudocapacitance, 664

Impressed current. See also Current

concrete, cathodic protection of simulated prestressed pilings in seawater, 386

zinc anodes, laboratory performance for cathodic protection of reinforced concrete, 639

Inclusions

18-8 stainless steel, effect of complex inclusions on pit initiation, 343

25% Cr-20% Ni-Nb stainless steel, tunneling corrosion mechanism in nitric acid, 507

manganese sulfide, microsampling and growth rate measurements in low-alloy steel, 223

manganese sulfide, pitting behavior of 17-4 precipitation-hardenable stainless steel, 586

solid-state potentiometric sensor for monitoring hydrogen in pipeline steel, 301

type 304 stainless steel, surface roughness and metastable pitting, 380

Inductively coupled plasma

low-alloy steel, crack tip microsampling and growth rate measurements, 223

Industrial environments

- duplex stainless steel, effect of gamma phase on wear in sulfuric acid, 456
- iron, colorimetric tests for in industrial boiler systems, 797
- pipeline steel, solid-state potentiometric sensor for monitoring hydrogen, 301
- steel, metal dusting of low- and high-alloy, 711
- type 304L stainless steel, in evaluating intergranular corrosion, 124

Inhibition and inhibition efficiency

- Al 6063, organic compounds as inhibitors in deaerated carbonate solution, 811
- alloy 718 and type 4340 steel, bismuth electroplating, 429
- aluminum, 5-benzylidene-1-methyl-2-methylthio-imidazole-4-one for in acid solution, 436
- aluminum, effect of hydrogen sulfide on aqueous corrosion of commercially pure, 544, 631
- iron, inhibition by stearic acid, 45
- iron, L-methionine methyl ester hydrochloride as an inhibitor for, 411
- models, nonlinear group contribution, 201
- nickel, effect of orthoaminothiophenol product on in sodium chloride, 788
- petroleum production equipment, galvanic couples, 482
- steel, effect of pH on inhibition by polyaspartic acid, 818
- triamines, modeling of nonlinear group contributions, 201
- zinc, imidazole derivatives as inhibitors, 767

Inhibitors

- Al 6063, organic compounds as inhibitors in deaerated carbonate solution, 811
- Al 7075, oxalate anions for, 19
- aluminum, 5-benzylidene-1-methyl-2-methylthio-imidazole-4-one for in acid solution, 436
- aluminum alloys, sulfate ions for, 185
- carbon steel, adsorption of octadecyltrimethylbenzylammonium chloride by Raman spectroscopy, 891
- carbon steel, stearic acid for, 45
- crystal surface stability in aggressive media, solitonic theory, 528
- fatigue crack growth, protection by, 284
- copper, inhibition by hydroxy benzophenoximes, 367
- iron, L-methionine methyl ester hydrochloride as an inhibitor, 411
- mild steel, dibenzyl sulfoxide for in sulfuric acid, 593
- mild steel, influence of C16 quarternary amine on surface films, 321
- mild steel, thiourea, chloride, and copper with dibenzyl sulfoxide, in sulfuric acid, 593
- petroleum production equipment, galvanic couples, 482
- protection by at the fatigue crack growth stage in water, 284
- steel, effect of pH on corrosion inhibition by polyaspartic acid, 818
- triamines, modeling of nonlinear group contributions, 201
- zinc, imidazole derivatives as inhibitors, 767
- zinc phosphate, as a primer for steel, 116

Intercrystalline corrosion. See also Corrosion

- aluminum-copper alloys in hydrochloric acid, 50
- Intergranular corrosion. See also Corrosion**
- 25% Cr-20% Ni-Nb stainless steel, tunneling corrosion mechanism in nitric acid, 507
- alloy 600, electrochemical potentiokinetic reactivation test to evaluate, 441
- aluminum alloys, effect of sulfate ions on, 185
- aluminum-copper alloys in hydrochloric acid, 50
- stainless steel, effect of neutron irradiation on transpassive corrosion of austenitic, 651
- stainless steel, testing by constant potential etching, 463
- type 304L stainless steel, thioacetamide as an activator to evaluate susceptibility, 124

Intergranular stress corrosion cracking. See also Corrosion; Cracking

- alloy 600, effect of cold work and temperature on crack growth rate in primary water, 689
- alloy 600, effect of specimen thickness on cracking in high-temperature water, 376
- alloy 600, electrochemical potentiokinetic reactivation test to evaluate, 441
- iron-manganese-aluminum alloys, environment-assisted in sodium chloride, 399
- nickel-based alloys, creep in 360°C water, 837
- pipeline surfaces, generation of environments, 518
- type 304 stainless steel, in doped high-temperature water, 901
- type 304 stainless steel, effect of nickel ion irradiation, 11
- type 304 stainless steel, irradiated thermally sensitized in high-temperature water, 757
- type 316 steel, oxide films formed in normal and hydrogen water chemistries, 849

Intermetallics

- 18-8 stainless steel, effect of complex inclusions on pit initiation, 343
- aluminum, in chloride solution containing carbon dioxide, bicarbonate, and copper ions, 544, 631
- nickel-aluminum bronze, cavitation corrosion in seawater and, 331

Ion chromatography

- low-alloy steel, crack tip microsampling and growth rate measurements, 223
- superferritic stainless steel, dissimilar metal crevice corrosion, 826

Ion-beam deposition

- chromium pretreatments, as replacements for, 71

Iron and iron alloys. See also Alloying

- aluminum-coated steel, corrosion of the alloy layer and welding zone, 234
- colorimetric tests for ferrous and total, 797
- ferritic alloys, effect of ferrite in sodium chloride, 738
- heat-resistant alloys, cyclic oxidation plus carburization, 191
- iron, L-methionine methyl ester hydrochloride as an inhibitor in chloride solution, 411
- manganese-aluminum alloys, environment-assisted cracking in sodium chloride, 399
- powder metallurgy iron, effect of coating time on electroless nickel-phosphorus coated, 581
- stearic acid, inhibition by, 45
- steel, effect of pH on inhibition by polyaspartic acid, 818
- steel, metal dusting of low- and high-alloy, 711
- telluric acid, effect on, 67
- type 304 stainless steel, depletion in by nickel ion irradiation, 11
- zinc phosphate as a primer for, 116
- zinc wire as a sacrificial anode in protection of reinforced concrete, 679

Iron carbonate

- mild steel, influence of C16 quarternary amine on surface film and, 321

Iron oxide. See also Oxides and oxide films

- colorimetric tests for in industrial boiler systems, 797
- octadecyltrimethylbenzylammonium chloride, adsorption on carbon steel by Raman spectroscopy, 891

Iron phosphate

- carbon steel, conversion coatings, 67

Irradiation and irradiation-assisted stress

- corrosion cracking. See also Corrosion; Cracking; Gamma radiation; Neutron irradiation; Nuclear power; Radiation; Reactors**
- austenitic stainless steel, effect of neutron irradiation on transpassive corrosion, 651
- low-temperature annealing, effect on testing, 731
- type 304 stainless steel, surface electrochemistry and intergranular corrosion, 11
- type 304 stainless steel, irradiated thermally sensitized in high-temperature water, 757

K**Kinetics**

- carbon steel in carbon dioxide-saturated solution containing hydrogen sulfide, 260
- copper, influence of bicarbonate ions on prepassive layers, 682
- epoxy coatings, effect of porosity on resistance to cold-wall blistering, 861
- heat-resistant alloys, cyclic oxidation plus carburization, 191
- steel, metal dusting of low- and high-alloy, 711
- stress, effect on occluded cell corrosion, 177
- superferritic stainless steel, dissimilar metal crevice corrosion, 826
- type 4340 and alloy 718 steel, bismuth electroplating, 429
- Warburg impedance, physical interpretation, 664

L**L-methionine methyl ester hydrochloride**

- iron, as an inhibitor in acid chloride solution, 411

Langmuir isotherm

- Al 6063, organic compounds as inhibitors for in carbonate solution, 811
- adsorption models, nonlinear group contribution, 201

Langmuir-Blodgett technique

- inhibition by stearic acid, 45

Lasers

- zinc, oxygen corrosion kinetics in neutral solution, under laser illumination, 672

Light interference microscopy

- β -tin monocrystals, pitting corrosion of passivated, 212

Light water reactors. See also Feedwater;

- Irradiation and irradiation-assisted stress corrosion cracking; Nuclear power; Radiation; Reactors; Water**
- austenitic stainless steel, effect of neutron irradiation on transpassive corrosion, 651
- stainless steel, irradiation effect on electrochemistry and corrosion resistance, 11

Linear polarization and resistance. See also Polarization; Polarization resistance; Resistance

- austenitic stainless steel, effect of stress on occluded cell corrosion, 177
- carbon steel in carbon dioxide-saturated solution containing hydrogen sulfide, 260
- mild steel, influence of C16 quarternary amine on surface film and polarization resistance, 321
- polyphenols, to study radical scavenging effect and anticorrosive properties, 37
- reinforcement corrosion rates in concrete bridge components, assessment of three instruments, 602

Linear sweep voltammetry

- type 4340 and alloy 718 steel, bismuth electroplating, 429

Lithium and lithium alloys. See also Alloying

- aluminum-lithium-copper alloys, preexposure phenomenon, 417

Lithium hydroxide

- type 304 stainless steel, stress corrosion cracking in doped high-temperature water and, 901

Loading

- alloy 600, effect of specimen thickness on cracking in high-temperature water, 376
- aluminum-lithium-copper alloys, preexposure phenomenon, 417
- duplex stainless steel, effect of γ phase on in sulfuric acid, 456
- fatigue crack growth, influence on, 284
- low-alloy steel, constant and cyclic in crack tip microsampling, 223
- stainless steel, galvanostatic, creviced stress corrosion test in hot chloride solution, 171
- type 4145 steel, susceptibility to fatigue in drilling muds, 941
- X-60 linepipe steel, stress corrosion cracking under cyclic, 91

Local electrochemical impedance spectroscopy
coating failure, examination, 251

Localized corrosion. See also Corrosion
18-8 stainless steel, effect of complex inclusions on pit initiation, 343
activation energy, modeling of complex physicochemical processes, 698
alloy 825, effect of chromium depletion on as a nuclear waste container material, 618
aluminum alloys, effect of sulfate ions on inhibition, 185
austenitic stainless steel, galvanostatic crevice stress corrosion test, 171
copper, inhibition by benzotriazole and other organic surfactants, 367
duplex stainless steel, dissolution mechanism in the active/passive transition range, 571
gamma back scattering technique to monitor in a circulating rig, 660
magnesium-yttrium alloys, corrosion resistance of nonequilibrium, 922
mild steel in cooling water chemistries, determination of corrosion rate, 153
steel and aluminum, corrosion monitoring system based on electrochemical noise, 295

Low-alloy steel. See also Alloying; By type; By UNS number

crack tip microsampling and growth rate measurements in high-temperature water, 223
cyclic oxidation plus carburization, 191
petroleum production equipment, galvanic couples, 482
metal dusting, 711

Lubricants

type 4145 steel, susceptibility to fatigue in drilling muds, 941

M

Magnesium and magnesium alloys. See also Alloying

aluminum-magnesium-silicon-copper alloys, intergranular corrosion of heat-treated, 50
magnesium-yttrium alloys, corrosion resistance and rapid solidification processing of nonequilibrium, 922

Magnetic materials

advances in, 270

Magnetite

type 316 steel, oxide films formed in normal and hydrogen water chemistries, 849

Maleic acid

aluminum pigments, inhibition of in aqueous alkaline media, 625

Manganese and manganese alloys. See also Alloying

femal alloys, effect of ferrite in sodium chloride, 738
iron-aluminum alloys, environment-assisted cracking in sodium chloride, 399

Manufacturing environments

chromium pretreatments, replacements for on aluminum, 71

Marine environments. See also Aqueous environments; Chloride and chloride solutions; Brine solutions; Salt water; Seawater; Sodium chloride and solutions; Solutions

concrete, cathodic protection of simulated prestressed pilings in seawater, 386
duplex stainless steel, effect of ruthenium on high-chromium, 312
nickel-aluminum bronze, cavitation corrosion in seawater, 331
zinc anodes, laboratory performance for impressed current cathodic protection of reinforced concrete, 639

Martensitic stainless steel. See also By type; By UNS number; Stainless steel; Steel

corrosion-resistant alloys, application limits in sour service, 239

Mass loss

duplex stainless steel, effect of ruthenium in sulfuric acid, 312

iron, L-methionine methyl ester hydrochloride as an inhibitor, 411

nickel-aluminum bronze, cavitation corrosion in seawater, 331

Mass transfer

carbon dioxide corrosion, comparison of rotating cylinder and pipe flow tests, 773

Mass transport

copper, annealed and hard-drawn in soft tap water, 469
copper, influence of bicarbonate ions in carbonate-bicarbonate buffers, 682

Mathematical modeling. See Modeling

Mechanistic effects

stainless steel, effect of nitrogen, 911

Meghemite

type 316 steel, oxide films formed in normal and hydrogen water chemistries, 849

Melt stirring process

metal-matrix composites, aluminum, 610

Mercaptans

copper strip corrosion, effect of elemental sulfur and, 558

Mercuric chloride

mild steel, role of hydrogen promoters on corrosion and hydrogenation, 537

Mercury

-calomel reference electrode, effect of gamma radiation, 450
mild steel, role of hydrogen promoters on corrosion and hydrogenation, 537

Mercury porosimetry

polyphenols, radical scavenging effect and anticorrosive properties, 37

Metal dusting. See also Corrosion

heat-resistant alloys, cyclic oxidation plus carburization, 191
steel, low- and high-alloy, 711

Metal-matrix composites

alumina- and silicon carbide-aluminum composites, corrosion behavior, 610
corrosion characteristics, 270

Metallurgy

mild steel, influence of quarternary amines on surface films, polarization resistance, and, 321

Metalloscopy

aluminum-coated steel, corrosion of the alloy layer and welding zone, 234

Methanol and methanolic solutions

mild steel, role of hydrogen promoters on corrosion and hydrogenation, 537
zirconium, formation and dissolution of the anodic oxide film in alcohol solution, 744

Microchemistry

alloy 600, effect of cold work and temperature on crack growth rate in primary water, 689
austenitic stainless steel, effect of neutron irradiation on transpassive corrosion, 651

Microelectronics

polyimides in, 270

Microsampling

low-alloy steel, crack tip growth rate in high-temperature, 223

Microstructure

17-4 precipitation-hardenable stainless steel, effect of applied potential on environmental cracking behavior, 498
17-4 precipitation-hardenable stainless steel weldments, pitting corrosion and, 586
aluminum, in chloride solution containing carbon dioxide, bicarbonate, and copper ions, 544, 631
aluminum-lithium-copper alloys, preexposure phenomenon, 417
austenitic stainless steel, effect of neutron irradiation on transpassive corrosion, 651
carbon steel, adsorption of octadecyltrimethylbenzylammonium chloride, 891
crystal surface stability in aggressive media, solitonic theory, 528
duplex stainless steel, dissolution mechanism in the active/passive transition range, 571
metal-matrix composites, aluminum, 610
nickel-aluminum bronze, cavitation corrosion in seawater, 331

pipeline steel, solid-state potentiometric sensor for monitoring hydrogen, 301

type 304 stainless steel, effect of alloying, 3
type 304 stainless steel, intergranular cracking of irradiated thermally sensitized, 757

Migration

chloride ion barriers, small electric fields in the protection of steel in concrete, 721

Mild steel. See also By type; By UNS number; Stainless steel; Steel

cathodic poisons, role of hydrogen promoters on corrosion and hydrogenation, 537
dibenzyl sulfoxide, improving the inhibiting performance in sulfuric acid solution, 593
electrochemical noise, corrosion monitoring based on mathematical model, 295
influence of quarternary amines on surface films and polarization resistance, 321
local electrochemical impedance spectroscopy to examine coating failure, 251
localized corrosion in cooling water chemistries, 153

Mixed potential theory. See also Potential

mild steel, in cooling water chemistries, determination of corrosion rate, 153
powder metallurgy iron, effect of coating time on electroless nickel-phosphorus coated, 581
silver-silver chloride and mercury-calomel electrodes, effect of gamma radiation, 450

Modeling

activation energy and complex physicochemical processes, 698
constant porous penetration, to examine coating failure, 251
crystal surface stability, in aggressive media, solitonic theory, 528
electrical resistance, to determine current distribution on corrosion rate in rebars, 79
electrochemical noise, 131
erosion and erosion-corrosion of metals, 872
film rupture, applicability to stress corrosion cracking of X-60 line pipe steel, 91
kinetics, effect of sulfate ions on inhibition of Al 7075 in sodium chloride, 185
mathematical, corrosion monitoring system based on electrochemical noise, 295
microcleavage, of iron-manganese-aluminum environmentally assisted cracking in sodium chloride, 399
nonlinear group contributions, 201
stainless steel, crevice corrosion repassivation temperatures of highly alloyed, 750
type 304 stainless steel, intergranular cracking of irradiated thermally sensitized, 757
underground corrosion, fuzzy clustering analysis to evaluate, 491

Molecular structure

triamines, correlation between structure and inhibitor efficiency, 201

Molybdenum and molybdenum alloys. See also Alloying

iron-manganese-aluminum alloys, environmentally assisted cracking, 399
stainless steel, effect of nitrogen, 911
superferritic stainless steel, dissimilar metal crevice corrosion, 826
type 304 stainless steel, effect of alloying on corrosion and passivation, 3

Morphology. See also Pit morphology

25% Cr-20% Ni-Nb stainless steel, tunneling corrosion mechanism in nitric acid, 507
Al 7075, effect of on inhibition in sodium chloride, 185
alloy 600, electrochemical potentiokinetic reactivation test to evaluate, 441
aluminum, in chloride solution containing carbon dioxide, bicarbonate, and copper ions, 544, 631
copper, annealed and hard-drawn in soft tap water, 469
copper, inhibition by benzotriazole and other organic surfactants, 367
corrosion-resistant alloys in oilfield service, application limits, 239
duplex stainless steel, dissolution mechanism in the active/passive transition range, 571

- duplex stainless steel, effect of γ phase on in sulfuric acid, 456
nickel-aluminum bronze, cavitation corrosion in seawater, 331
stainless steel, irradiation effect on electrochemistry and corrosion resistance, 11
- N**
- NACE Standard TM0174**
epoxy coatings, effect of porosity on resistance to cold-wall blistering, 861
- Naptha**
copper strip corrosion, effect of elemental sulfur and mercaptans, 558
- Natural gas pipelines. See Pipelines and line pipe steel**
- Nernst-Planck relation**
chloride ion barriers, small electric fields in the protection of steel in concrete, 721
- Neutralization**
inhibitors, protection by at the fatigue crack growth stage, 284
- Neutron fluence. See also Fluence**
low-temperature annealing and irradiation-assisted stress corrosion cracking, 731
type 304 stainless steel, intergranular cracking of irradiated thermally sensitized, 757
- Neutron irradiation**
stainless steel, effect of neutron irradiation on transpassive corrosion of austenitic, 651
- Nickel and nickel alloys. See also Alloying**
18-8 stainless steel, effect of complex inclusions on pit initiation, 343
25% Cr-20% Ni-Nb stainless steel, tunneling corrosion mechanism in nitric acid, 507
alloy 718 and type 4340 steel, bismuth electroplating, 429
cathodic protection of steel by electrodeposited zinc-nickel alloy coatings, 932
corrosion-resistant alloys, application limits in sour service, 239
creep and intergranular cracking in 360°C water, 837
ferritic alloys, effect of ferrite in sodium chloride, 738
heat-resistant alloys, cyclic oxidation plus carburization, 191
orthoaminophenol, effect on in sodium chloride, 788
powder metallurgy iron, effect of coating time on electroless nickel-phosphorus coated, 581
stainless steel, effect of nitrogen on, 911
steel, metal dusting of low- and high-alloy, 711
type 304 stainless steel, irradiation and effect on intergranular corrosion, 11
- Niobium and niobium alloys. See also Alloying**
25% Cr-20% Ni-Nb stainless steel, tunneling corrosion mechanism in nitric acid, 507
- Nitric acid**
18-8 stainless steel, effect of complex inclusions on pit initiation, 343
25% Cr-20% Ni-Nb stainless steel, tunneling corrosion mechanism in oxidizing, 507
- Nitrides**
stainless steel, effect of nitrogen, 911
- Nitrogen**
stainless steel, effect on corrosion properties, 911
type 304 stainless steel, effect of alloying on corrosion and passivation, 3
- Noise. See Electrochemical noise**
- Nondestructive testing**
general corrosion, gamma back scattering technique to monitor in a circulating rig, 690
- Nonlinear regression**
modeling, nonlinear group contributions, 201
- Normal water chemistries**
type 316 stainless steel, oxide films formed in 288°C water, 849
- Nuclear power. See also Gamma radiation; Irradiation and irradiation-assisted stress corrosion cracking; Nuclear waste; Radiation; Reactors**
activation energy, modeling of complex physicochemical processes, 698
alloy 600, effect of specimen thickness on cracking, 376
alloy 600, effect of temperature and cold work on crack growth rate in primary water, 689
alloy 600, electrochemical potentiokinetic reactivation test to evaluate, 441
stainless steel, irradiation effect on electrochemistry and corrosion resistance, 11
type 304 stainless steel, intergranular cracking of irradiated thermally sensitized, 757
type 316 steel, oxide films formed in normal and hydrogen water chemistries, 849
- Nuclear waste. See Nuclear power; Radioactive waste**
- O**
- Ocluded cell corrosion. See also Corrosion stress, effect on stress corrosion cracks, 177**
- Octadecyldimethylbenzylammonium chloride**
carbon steel, adsorption as observed using Raman spectroscopy, 891
- Oil and gas. See also Pipelines and line pipe steel**
Al 99.5 in chloride solution containing carbon dioxide, bicarbonate, and copper ions, 544, 631
aluminum-coated steel, phase constitution of the iron-aluminum alloy layer, 234
copper strip corrosion, effect of elemental sulfur and mercaptans, 558
corrosion-resistant alloys, application limits in sour service, 239
mild steel, influence of quaternary amines on surface films and polarization resistance, 321
petroleum production equipment, galvanic couples, 482
steel, metal dusting of low- and high-alloy, 711
type 4145 steel, susceptibility to fatigue in drilling muds, 941
- Oil country tubular goods. See Oil and gas; Pipelines and line pipe steel**
- Open-circuit potential. See also Potential**
17-4 precipitation-hardenable stainless steel, effect of applied potentials on environmental cracking, 498
Al 7075, pit generation rates in the presence of oxalate anions, 19
austenitic stainless steel, effect of stress on occluded cell corrosion, 177
nickel-aluminum bronze, cavitation corrosion in seawater, 331
reinforcing steel, identification of active and passive zones in reinforced concrete, 145
stainless steel, effect of biofilms, 56
zirconium, formation and dissolution of the anodic oxide film on in alcohol solution, 744
- Optical microscopy**
heat-resistant alloys, cyclic oxidation plus carburization, 191
nickel-aluminum bronze, cavitation corrosion in seawater, 331
stainless steel, intergranular corrosion testing by constant potential etching, 463
- Organic coatings. See also Coatings**
chromium pretreatments, replacements for on aluminum, 71
epoxy, effect of porosity on resistance to cold-wall blistering, 861
zinc phosphate, as a primer for steel, 116
- Orthoaminophenol**
nickel, effect on in sodium chloride, 788
- Oxalate anions**
Al 7075, pitting resistance in the presence of, 19
- Oxidation. See also Supercritical water oxidation**
25% Cr-20% Ni-Nb stainless steel, tunneling corrosion mechanism in nitric acid, 507
aluminum-coated steel, phase constitution of the iron-aluminum alloy layer, 234
copper, influence of bicarbonate ions on prepassive layers, 682
erosion and erosion-corrosion of metals, 872
heat-resistant alloys, cyclic, 191
steel, metal dusting of low- and high-alloy, 711
zinc anodes, laboratory performance for impressed current cathodic protection of reinforced concrete, 639
- Oxides and oxide films. See also Aluminum oxide; Iron oxide; Tellurium oxide; Tin oxide; Zinc oxide**
18-8 stainless steel, effect of complex inclusions on pit initiation, 343
copper, annealed and hard-drawn in soft tap water, 469
copper, influence of bicarbonate ions in carbonate-bicarbonate buffers, 682
heat-resistant alloys, cyclic oxidation plus carburization, 191
titanium, photocorrosion of passive films on in sulfuric acid, 206
type 316 steel, formed in normal and hydrogen water chemistries, 849
zinc oxygen corrosion kinetics in neutral solution, under laser illumination, 672
zinc phosphate, formation by on steel, 116
zirconium, formation and dissolution of the anodic oxide film in alcoholic solutions, 744
- Oxygen. See also Dissolved oxygen**
industrial boiler systems, colorimetric tests for ferrous and total iron in, 797
zinc oxygen corrosion kinetics in neutral solution, under laser illumination, 672
- P**
- Partial pressure. See also Pressure**
carbon dioxide, carbon steel in saturated solution containing hydrogen sulfide, 260
carbon dioxide corrosion, comparison of rotating cylinder and pipe flow tests, 773
- Particle reinforcements**
alumina- and silicon carbide-aluminum metal-matrix composites, corrosion behavior, 610
- Passivation. See also Passivity; Repassivation**
18-8 stainless steel, effect of complex inclusions on pit initiation, 343
Al 6063, organic compounds as inhibitors in deaerated carbonate solution, 811
copper, influence of bicarbonate ions in carbonate-bicarbonate buffers, 682
ferritic alloys, effect of ferrite in sodium chloride, 738
inhibitors, protection by at the fatigue crack growth stage, 284
stress, effect on occluded cell corrosion in stress corrosion cracking, 177
superferritic stainless steel, dissimilar metal crevice corrosion, 826
type 304 stainless steel, effect of alloying on in dilute chloride solution, 3
type 304 stainless steel, nickel ion irradiation, 11
type 304 stainless steel, surface roughness and metastable pitting, 380
- Passivation potential. See also Potential**
duplex stainless steel, dissolution mechanism in the active-to-passive transition range, 571
- Passive current. See also Current**
ferritic alloys, effect of ferrite in sodium chloride, 738
- Passive potential. See also Potential**
iron-manganese-aluminum alloys, environmentally assisted cracking, 399
- Passive zones**
reinforced concrete, identification, 145
- Passivity. See also Passivation; Repassivation**
 β -tin monocrystals, pitting corrosion in chloride solution, 212
chloride ion barriers, small electric fields in the protection of steel in concrete, 721
duplex stainless steel, effect of ruthenium in sulfuric acid, 312
magnesium-yttrium alloys, corrosion resistance of nonequilibrium, 922
X-60 linepipe steel, effect on film formation in stress corrosion cracking, 91

- zinc monocrystals, pitting corrosion of passivated in chloride solution, 356
- Perchloric acid**
stainless steel, intergranular corrosion testing by constant potential etching, 463
- Permeation and permeation testing. See also Hydrogen permeation**
reinforced concrete, zinc wire as a sacrificial anode in protection of, 679
- pH**
alloy 600, effect of cold work and temperature on crack growth rate in primary water, 689
aluminum pigments, isoelectric point and inhibition in aqueous alkaline media, 625
carbon dioxide corrosion, comparison of rotating cylinder and pipe flow tests, 773
carbon steel in carbon dioxide-saturated solution containing hydrogen sulfide, 260
copper, influence of bicarbonate ions in carbonate-bicarbonate buffers, 682
corrosion-resistant alloys in oilfield service, 239
fatigue crack growth, influence on, 284
iron and, effect on conversion coatings, 67
magnesium-yttrium alloys, corrosion resistance of nonequilibrium, 922
mild steel, influence of quarternary amines on surface films, polarization resistance, 321
occluded cell corrosion, effect of stress, 177
photocorrosion, passive films on titanium in sulfuric acid and, 206
pipeline steel, solid-state potentiometric sensor for monitoring hydrogen, 301
pipeline surfaces, stress corrosion cracking, 518
steel, effect of on inhibition by polyaspartic acid, 818
superferritic stainless steel, dissimilar metal crevice corrosion, 826
type 4145 steel, susceptibility to fatigue in drilling muds, 941
zinc monocrystals, pitting corrosion of passivated, 356
- Phases**
alumina- and silicon carbide-aluminum metal-matrix composites, corrosion behavior, 610
aluminum-coated steel, iron-aluminum alloy layer, 234
duplex stainless steel, dissolution mechanism in the active/passive transition range, 571
duplex stainless steel, effect of γ phase on in sulfuric acid, 456
ferritic alloys, effect of ferrite in sodium chloride, 738
nickel-aluminum bronze, cavitation corrosion in seawater, 331
type 304 stainless steel, effect of alloying on corrosion and passivation, 3
Warburg impedance, physical interpretation and adsorption pseudocapacitance, 664
- Phosphate**
conversion coatings, 67
- Phosphoric acid and solutions**
zirconium, formation and dissolution of the anodic oxide film, 744
- Phosphorus and phosphorus alloys**
powder metallurgy iron, effect of coating time on electroless nickel-phosphorus coated, 581
stainless steel, effect of neutron irradiation on transpassive corrosion of austenitic, 651
- Photocorrosion. See also Corrosion**
titanium, effect on passive film formation in sulfuric acid, 206
zinc oxygen corrosion kinetics in neutral solution, under laser illumination, 672
- Pickling**
mild steel, improving inhibiting performance of dibenzyl sulfide in sulfuric acid, 593
mild steel, role of hydrogen promoters on corrosion and hydrogenation, 537
type 304 stainless steel, surface roughness and metastable pitting, 380
- Pigment**
isoelectric point and inhibition of aluminum pigments in aqueous alkaline media, 625
- zinc phosphate, heterogenous reaction between steel and, 116
- Pipelines and line pipe steel. See also Oil and gas**
solid-state potentiometric sensor for monitoring hydrogen, 301
stress corrosion cracking environments, generation, 518
type 1020 steel, effect of cold work in sour service, 30
underground corrosion, fuzzy clustering analysis to evaluate, 491
X-60 line pipe steel in carbonate-bicarbonate solution, 91
- Pit morphology. See also Morphology**
 β -tin monocrystals, pitting corrosion of passivated, 212
zinc monocrystals, pitting corrosion of passivated in chloride solution, 356
- Pitting corrosion. See also Anisotropic pitting; Corrosion**
17-4 precipitation-hardenable stainless steel weldments, 586
18-8 stainless steel, effect of complex inclusions on pit initiation, 343
25% Cr-20% Ni-Nb stainless steel, tunneling corrosion mechanism in nitric acid, 507
Al 6063, organic compounds as inhibitors in deaerated carbonate solution, 811
Al 7075, resistance in the presence of oxalate anions, 19
alloy 600, electrochemical potentiokinetic reactivation test to evaluate, 441
alloy 825, effect of chromium depletion on localized corrosion resistance, 618
alumina- and silicon carbide-aluminum metal-matrix composites, corrosion behavior, 610
aluminum alloys, effect of sulfate ions, 185
aluminum, effect of hydrogen sulfide on aqueous corrosion, 544, 631
aluminum-coated steel in hydrogen sulfide, 234
aluminum-copper alloys in hydrochloric acid, 50
carbon steel, in carbon dioxide-saturated solution containing hydrogen sulfide, 260
copper, annealed and hard-drawn in soft tap water, 469
corrosion-resistant alloys in oilfield service, 239
ferritic alloys, effect of ferrite in sodium chloride, 738
magnesium-yttrium alloys, corrosion resistance of nonequilibrium and, 922
mild steel in cooling water chemistries, determination of corrosion rate, 153
silver-silver chloride and mercury-calomel electrodes, effect of gamma radiation, 450
stainless steel, effect of nitrogen, 911
stress, effect on occluded cell corrosion inside stress corrosion cracks, 177
type 304 stainless steel, effect of alloying on corrosion and passivation in chloride solution, 3
type 304 stainless steel, surface roughness and metastable pitting in chloride solution, 380
- Pitting potential. See also Potential**
17-4 precipitation-hardenable stainless steel weldments, effect of heat treatment and heat input, 586
 β -tin monocrystals, pitting corrosion of passivated in chloride solution, 212
metal-matrix composites, aluminum, 610
type 304 stainless steel, effect of alloying on corrosion and passivation, 3
type 304 stainless steel, surface roughness and metastable pitting, 380
zinc monocrystals, pitting corrosion of passivated in chloride solution, 356
- Pitting resistance. See also Resistance**
17-4 precipitation-hardenable stainless steel weldments, effect of heat treatment and heat input, 586
- Plumbing systems. See Tap water**
- Poisons**
mild steel, role of hydrogen promoters on corrosion and hydrogenation, 537
- Polarization. See also Anodic polarization; Cathodic polarization; Cyclic polarization testing; Depolarization; Gravimetric polarization; Linear polarization; Potentiodynamic polarization**
Al 7075, pitting corrosion resistance in the presence of oxalate anions, 19
copper, corrosion of hard-drawn and annealed in soft tap water, 469
corrosion rate, effect of current distribution on measurements in reinforced concrete, 79
duplex stainless steel, effect of ruthenium additions in sulfuric acid, 312
mild steel, role of hydrogen promoters on corrosion and hydrogenation, 537
nickel-aluminum bronze, cavitation corrosion in seawater, 331
petroleum production equipment, galvanic couples, 482
steel, zinc phosphate as a primer for, 116
zinc anodes, laboratory performance for impressed current cathodic protection of reinforced concrete, 639
- Polarization resistance. See also Linear polarization resistance; Resistance**
aluminum, inhibition of acid corrosion with 5-benzylidene-1-methyl-2-methylthioimidazole-4-one, 436
carbon dioxide corrosion, comparison of rotating cylinder and pipe flow tests, 773
carbon steel, effect of stearic acid, 45
carbon steel, in carbon dioxide-saturated solution containing hydrogen sulfide, 260
faradaic impedance determination of an electrode reaction, 105
mild steel, determination of corrosion rate in cooling water chemistries, 153
mild steel, influence of quarternary amines on surface films, 321
reinforced concrete, identification of active and passive zones, 145
steel, effect of pH on inhibition by polyaspartic acid, 818
- Polarization testing**
alloy 718 and type 4340 steel, bismuth electroplating, 429
 β -tin monocrystals, pitting corrosion, 212
polyphenols, radical scavenging effect and anticorrosive properties, 37
- Polyacrylic acid**
aluminum pigments, inhibition in aqueous alkaline media, 625
- Polyamines**
epoxy coatings, effect of porosity on resistance to cold-wall blistering, 861
- Polyaspartic acid**
steel, effect of pH on inhibition, 818
- Polycrystals**
solitonic theory of crystal surface stability and corrosion resistance, 528
- Polyimides**
in microelectronics, 270
- Polymers and polymer coatings. See also Coatings**
epoxy, effect of porosity on resistance to cold-wall blistering, 861
industrial boiler systems, colorimetric tests for ferrous and total iron, 797
- Polyphenols**
gallic acid and gallotannins, radical scavenging effect and anticorrosive properties, 37
- Porosity**
epoxy coatings, effect of porosity on resistance to cold-wall blistering, 861
powder metallurgy iron, effect of coating time on electroless nickel-phosphorus coated, 581
- Potable water. See Tap water**
- Potassium thiocyanate**
alloy 600, electrochemical potentiokinetic reactivation test to evaluate, 441
type 304 and 304L stainless steel, activators in evaluating intergranular corrosion, 124

Potential. See also **Anodic potential**; **Breakdown potential**; **Cathodic potential**; **Corrosion potential**; **Electrochemical potential**; **Free corrosion potential**; **Mixed potential theory**; **Open-circuit potential**; **Passive potential**; **Pitting potential**; **Redox potential**; **Repasivation potential**; **Transpassive potential**; **Vertex potential**
chloride ion barriers, small electric fields in the protection of steel in concrete, 721
concrete, cathodic protection of simulated prestressed pilings in seawater, 386
duplex stainless steel, dissolution mechanism in the active/passive transition range, 571
electrochemical noise, modeling, 131
fatigue crack growth, influence on, 284
magnesium-yttrium alloys, corrosion resistance of nonequilibrium and, 922
nickel-based alloys, effect on creep and intergranular cracking in 360°C water, 837
stainless steel, effect of nitrogen, 911
stainless steel, intergranular corrosion testing by constant potential etching, 463
steel, cathodic protection by electrodeposited zinc-nickel alloy coatings, 932
type 304 stainless steel, nickel ion irradiation, 11
type 304 stainless steel, stress corrosion cracking in doped high-temperature water and, 901
type 4145 steel, susceptibility to fatigue in drilling muds, 941

Potentiodynamic measurements

Al 7075, corrosion resistance in the presence of oxalate anions, 19

Potentiodynamic polarization. See also Polarization

alloy 825, effect of chromium depletion on localized corrosion resistance, 618
aluminum-copper alloys, intergranular corrosion, 50
ferritic alloys, effect of ferrite in sodium chloride, 738
high-alloy stainless steel, crevice corrosion repassivation temperatures, 750
iron-manganese-aluminum alloys, environmentally assisted cracking, 399
magnesium-yttrium alloys, corrosion resistance of nonequilibrium, 922
nickel-aluminum bronze, cavitation corrosion in seawater, 331
zinc monocrystals, pitting corrosion of passivated, 356

Potentiodynamic reactivation

type 304L stainless steel, thioacetamide as an activator in evaluating intergranular corrosion, 124

Potentiodynamic testing

carbon dioxide corrosion, comparison of rotating cylinder and pipe flow tests, 773
copper, influence of bicarbonate ions in carbonate-bicarbonate buffers, 682
corrosion-resistant alloys, application limits in sour service, 239
duplex stainless steel, effect of ruthenium in sulfuric acid, 312
type 304 stainless steel, effect of alloying on corrosion and passivation behaviors, 3
type 304L stainless steel, thioacetamide as an activator in evaluating intergranular corrosion, 124
X-60 linepipe steel, stress corrosion cracking in carbonate-bicarbonate solution, 91

Potentiostatic testing

Al 7075, pitting corrosion resistance in the presence of oxalate anions, 19
copper, annealed and hard-drawn in soft tap water, 469
high-alloy stainless steel, crevice corrosion repassivation temperatures, 750
magnesium-yttrium alloys, corrosion resistance of nonequilibrium, 922
stainless steel, galvanostatic creviced stress corrosion test, 171

stainless steel, intergranular corrosion testing by constant potential etching, 463
zinc, imidazole derivatives as inhibitors, 767

Power density spectrum

steel and aluminum, corrosion monitoring system based on electrochemical noise, 295

Precipitation

17-4 precipitation-hardenable stainless steel, effect of applied potential on environmental cracking behavior, 498
heat-resistant alloys, cyclic oxidation plus carburization, 191
nickel-aluminum bronze, cavitation corrosion in seawater, 331
stainless steel, effect of nitrogen, 911

Precipitation hardenable stainless steel. See also Stainless steel; Steel

17-4 precipitation-hardenable stainless steel, effect of applied potential on environmental cracking behavior, 498
17-4 precipitation-hardenable stainless steel weldments, effect of heat treatment and heat input, 586

Precohesion. See also Corrosion

mild steel, influence of quarternary amines on surface films and polarization resistance, 321

Preexposure embrittlement. See also Embrittlement

aluminum-lithium-copper alloys, preexposure phenomenon, 417

Pressure. See also Partial pressure

critical equivalent, of hydrogen in commercial pipeline steel, 301
mild steel, influence of quarternary amines on surface films, polarization resistance, and, 321

Pressure vessels

low-alloy steel, crack tip microsampling and growth rate measurements in high-temperature water, 223

Pressurized water reactors. See

also **Feedwater**; **Gamma radiation**; **Irradiation and irradiation-assisted stress corrosion cracking**; **Nuclear power**; **Radiation**; **Reactors**; **Water**
alloy 600, effect of specimen thickness on cracking, 376
alloy 600, effect of temperature and cold work on crack growth rate in primary water, 689
nickel-based alloys, creep and intergranular cracking in 360°C water, 837

Pretreatment

chromium, for aluminum alloys, 71

Primary water. See also Water

alloy 600, effect of cold work and temperature on crack growth rate, 689
nickel-based alloys, effect on creep and intergranular cracking in 360°C water, 837

Primers. See also Coatings

zinc phosphate for steel, 116

Protection potential

steel, cathodic protection of by electrodeposited zinc-nickel alloy coatings, 932

Pseudocapacitance. See also Capacitance

18-8 stainless steel, effect of complex inclusions on pit initiation, 343
Warburg impedance, physical interpretation, 664

Pseudoresistance. See also Resistance

Warburg impedance, physical interpretation, 664

Pyrogallol

radical scavenging effect and anticorrosive properties, relation, 37

Q

Quantitative structure - activity relationships

nonlinear group contribution models of inhibition, 201

Quaternary amines

mild steel, influence on surface films and polarization resistance, 321

R

Radiation. See also Gamma radiation; Irradiation and irradiation-assisted stress corrosion cracking; Nuclear power; Reactors

silver-silver chloride and mercury-calomel electrodes, effect of gamma radiation, 450
type 304 stainless steel, effect of nickel ion, 11
type 304 stainless steel, intergranular cracking of irradiated thermally sensitized, 757
type 316 stainless steel, oxide films in normal and hydrogen water chemistries, 849

Radiation-induced segregation. See also Segregation

stainless steel, effect of neutron irradiation on transpassive corrosion of austenitic, 651
type 304 stainless steel, radiation-induced, 11

Radical scavenging effect

polyphenols, relation to anticorrosive properties, 37

Radioactive waste. See also Hazardous waste; Waste

alloy 825, effect of chromium depletion on localized corrosion, 618
Silver-silver chloride and mercury calomel electrodes, effect of gamma radiation, 450

Raman spectroscopy

octadecyldimethylbenzylammonium chloride, adsorption on carbon steel using, 891

Rapid solidification processing

advances in, 270
magnesium-yttrium alloys, corrosion resistance of nonequilibrium alloys and, 922

Rare earth

additives, as a replacement for chromium pretreatments, 71
iron-based permanent magnets, 270

Reactors. See Boiling water reactors; Fusion reactors; Light water reactors; Nuclear power; Pressurized water reactors

Rebar and rebar corrosion. See

Corrosion; Reinforcing steel

Red brass

galvanic couples, petroleum production equipment, 482

Redox potential. See also Potential

corrosion-resistant alloys, application limits in sour service, 239

Reference electrode. See Electrode

Reflection

titanium, photocorrosion in sulfuric acid, 206

Reinforced concrete. See also Concrete

current distribution, effect on corrosion rate measurements, 79
zinc anodes, laboratory performance for impressed current cathodic protection, 639
zinc wire as a sacrificial anode, 679

Reinforcing steel. See also By type; By UNS number; Steel

concrete, active and passive zones, identification in reinforced, 145
concrete, chloride ion barriers and small electric fields in the protection of steel, 721
concrete, corrosion rate, effect of current distribution on steel in, 79
concrete, zinc wire as a sacrificial anode in protection of reinforced, 679
concrete bridge components, reinforcement corrosion rates in, assessment of three instruments, 602
zinc anodes, laboratory performance for impressed current cathodic protection of reinforced concrete, 639

Relative humidity

cathodic protection of simulated prestressed concrete pilings in seawater, 386

Remote crevice assembly technique

stainless steel, effect of biofilms on crevice corrosion in seawater, 56

Repassivation. See also Passivation; Passivity

alloy 825, effect of chromium depletion on localized corrosion resistance, 618
stainless steel, crevice corrosion repassivation temperatures of highly alloyed, 750

Repassivation potential. See also Potential alloy 825, effect of chromium depletion on localized corrosion resistance, 618 stainless steel, galvanostatic crevice stress corrosion test, 171

Reprocessing

25% Cr-20% Ni-Nb stainless steel, tunneling corrosion mechanism in nitric acid, 507

Resistance. See also Concrete

resistance; Corrosion resistance; Electrical resistance; Linear polarization resistance; Pitting resistance; Polarization resistance; Pseudoresistance; Transfer resistance

coatings, evaluation of degradation of coated steel using impedance spectroscopy, 97 electrochemical noise, modeling, 131 epoxy coatings, effect of porosity on resistance to cold-wall blistering, 861

Reviews

aluminum alloys, chromium pretreatments, 71

Rotating cylinder electrode. See also Electrode

carbon dioxide corrosion, comparison of rotating cylinder and pipe flow tests, 773 steel, effect of pH on inhibition by polyaspartic acid, 818

Rotating disk electrode. See also Electrode

nickel, effect of orthoaminothiophenol product on in sodium chloride, 788

Ruthenium

duplex stainless steel, effect on, 312

Rutile

photocorrosion of passive films in sulfuric acid, 206

S

Salt water. See Brine solutions; Chloride and chloride solutions; Marine environments; Seawater; Sodium chloride and solutions; Water

Scales and scaling

dibenzyl sulfide, improving inhibiting performance on mild steel in sulfuric acid, 593

erosion and erosion-corrosion of metals, 872

Scanning electron microscopy

18-8 stainless steel, effect of complex inclusions on pit initiation, 343 aluminum alloys, effect of sulfate ions on inhibition, 185 aluminum, effect of hydrogen sulfide on aqueous corrosion, 544, 631 aluminum-coated steel, corrosion of the alloy layer and welding zone, 234 β -tin monocrystals, pitting corrosion of passivated, 212 copper, influence of bicarbonate ions in carbonate-bicarbonate buffers, 682 copper, inhibition with benzotriazole and other organic surfactants, 367 copper strip corrosion, effect of elemental sulfur and mercaptans, 558 duplex stainless steel, effect of γ phase on corrosive wear in sulfuric acid, 456 erosion and erosion-corrosion of metals, 872 heat-resistant alloys, cyclic oxidation plus carburization, 191 mild steel, influence of C16 quarternary amine on surface films and polarization resistance, 321 nickel-aluminum bronze, cavitation corrosion in seawater, 331 stainless steel, intergranular corrosion testing by constant potential etching, 463 type 304 stainless steel, effect of alloying on corrosion and passivation behaviors, 3 type 304 stainless steel, intergranular cracking of irradiated thermally sensitized and, 757 type 316 steel, oxide films formed in normal and hydrogen water chemistries, 849 vs electrochemical noise to monitor corrosion in steel and aluminum, 295 zinc monocrystals, pitting corrosion of passivated, 356

zinc phosphate and steel, heterogeneous reaction between, 116

Scavenging

polyphenols, radical scavenging effect and relation to anticorrosive properties, 37

Seawater. See also Brine solutions; Chloride and solutions; Marine environments; Sodium chloride and solutions; Water

aluminum-magnesium-silicon-copper alloys, intergranular corrosion of heat-treated, 50 concrete, cathodic protection of simulated prestressed pilings, 386 nickel-aluminum bronze, cavitation corrosion, 331 stainless steel, effect of biofilms on crevice corrosion, 56

Segregation. See also Radiation-induced segregation

17-4 precipitation-hardenable stainless steel, pitting behavior, 586 25% Cr-20% Ni-Nb stainless steel, tunneling corrosion mechanism in nitric acid, 507 pipeline steel, solid-state potentiometric sensor for monitoring hydrogen, 301

Selenium and selenium dioxide

mild steel, role of hydrogen promoters on corrosion and hydrogenation, 537

Semiconductors

zinc monocrystals, pitting corrosion of passivated, 356 zinc oxygen corrosion kinetics in neutral solution, under laser illumination, 672

Sensitization

alloy 600, electrochemical potentiokinetic reactivation test to evaluate, 441 low-temperature annealing and irradiation-assisted stress corrosion cracking, 731 stainless steel, intergranular corrosion testing by constant potential etching, 463 type 304 stainless steel, intergranular cracking of irradiated thermally sensitized, 757 type 304 stainless steel, nickel ion irradiation, 11 type 304L stainless steel, in evaluating intergranular corrosion, 124

Sensors. See Electrochemical sensors

Shot noise. See Electrochemical noise

Silicon and silicon alloys. See also Alloying

aluminum-magnesium-silicon-copper alloys, intergranular corrosion of heat-treated, 50 iron-manganese-aluminum alloys, environmentally assisted cracking, 399 stainless steel, effect of neutron irradiation on transpassive corrosion of austenitic, 651 type 304 stainless steel, effect of alloying on corrosion and passivation behaviors, 3 type 304 stainless steel, enrichment in by nickel irradiation, 11

Silicon carbide

and aluminum metal-matrix composites, corrosion behavior, 610

Silver-silver chloride electrode. See also Electrode

gamma radiation, effect on stability, 450

Simplex

modeling, nonlinear group contributions, 201

Sintering

powder metallurgy iron, effect of coating time on electroless nickel-phosphorus coated, 581

Slow strain rate testing

stainless steel, crevice, 171 type 304 stainless steel, intergranular cracking of irradiated thermally sensitized, 757 type 304 stainless steel, stress corrosion cracking in doped high-temperature water, 901

Sodium arsenite

mild steel, role of hydrogen promoters on corrosion and hydrogenation, 537

Sodium bicarbonate, carbonate, and solutions

X-60 line pipe steel, stress corrosion cracking, 91

Sodium chloride and solutions. See also Brine solutions; Chloride and chloride solutions; Marine environments; Seawater

17-4 stainless steel, effect of applied potentials on environmental cracking, 498

18-8 stainless steel, effect of complex inclusions on pit initiation, 343

aluminum alloys, effect of sulfate ions on inhibition, 185

aluminum, effect of hydrogen sulfide on commercially pure, 544, 631

aluminum-lithium-copper alloys, preexposure phenomenon, 417

austenitic stainless steel, galvanostatic, crevice stress corrosion test for in hot, 171

β -tin monocrystals, anisotropic pitting, 212

carbon steel in carbon dioxide-saturated solution containing hydrogen sulfide, 260

corrosion-resistant alloys, application limits in sour service, 239

electrochemical noise, corrosion monitoring based on mathematical modeling, 295

faradaic impedance of an electrode reaction, application to metal corrosion rate, 105

ferritic alloys, effect of ferrite, 738

galvanic couples, petroleum production equipment, 482

iron-manganese-aluminum alloys, environmentally assisted cracking, 399

magnesium-yttrium alloys, corrosion resistance of nonequilibrium and, 922

metal-matrix composites, aluminum, 610

mild steel, influence of quarternary amines on surface film in carbon dioxide-saturated, 321

mild steel, local electrochemical impedance spectroscopy to examine coating failure, 251

nickel, effect of orthoaminothiophenol product on, 788

steel, cathodic protection of by electrodeposited zinc-nickel alloy coatings, 932

steel, evaluation of degradation in coated using impedance spectroscopy, 97

type 304 stainless steel, effect of alloying on corrosion and passivation, 3

zinc monocrystals, pitting corrosion of passivated, 356

zinc oxygen corrosion kinetics in neutral solution, under laser illumination, 672

zinc wire as a sacrificial anode in protection of reinforced concrete, 679

Sodium hydroxide and solutions

alloy 600, electrochemical potentiokinetic reactivation test to evaluate, 441

Sodium hypophosphite

powder metallurgy iron, effect of coating time on electroless nickel-phosphorus coated, 581

Sodium nitrite, nitrate, and solutions

β -tin monocrystals, anisotropic pitting, 212

inhibitors, protection by at the fatigue crack growth stage, 284

Sodium oxalate and solutions

Al 7075, effect on pit initiation, 19

Sodium sulfate, sulfide, and solutions

aluminum alloys, corrosion inhibition in, 185

aluminum-coated steel, phase constitution of the iron-aluminum alloy layer, 234

Sodium thiosulfate

type 304L stainless steel, in evaluating intergranular corrosion, 124

Soil corrosion. See also Corrosion

fuzzy clustering analysis to evaluate, 491

Solid particles

erosion and erosion-corrosion of metals, 872

Solid solutions

stainless steel, effect of nitrogen on corrosion properties, 911

Solitic theory

crystal surface stability, in aggressive media, 528

Solubility

stainless steel, effect of nitrogen, 911

Solutions. See Acid solutions; Alcohols and alcohol solutions; Alkaline solutions; Aqueous solutions and environments; Bicarbonate and bicarbonate solutions; Brine solutions; Carbon dioxide and

- solutions; Carbonate-bicarbonate solutions; Chloride and chloride solutions; Critical crevice solutions; Hydrogen sulfide and solutions; Marine environments; Methanol and methanolic solutions; Sodium bicarbonate, carbonate, and solutions; Sodium chloride and solutions; Sodium hydroxide and solutions; Sodium nitrite, nitrate, and solutions; Sodium oxalate solutions; Sodium sulfide, sulfate, and solutions; Solid solutions**
- Sour gas**
pipeline steel, electrochemical sensors to monitor hydrogen, 301
- Sour service**
corrosion-resistant alloys, application limits, 239
type 1020 steel, effect of cold work, 30
- Splash zone**
cathodic protection of simulated prestressed concrete piling in seawater, 386
- Sputter deposition**
magnesium-yttrium alloys, corrosion resistance of nonequilibrium and, 922
- Stainless steel. See also Austenitic stainless steel; By type; By UNS number; Duplex stainless steel; Martensitic stainless steel; Mild steel; Pipelines and line pipe steel; Precipitation hardenable stainless steel; Steel; Superferritic stainless steel**
18-8, effect of complex inclusions on pit initiation, 343
crevice corrosion in seawater, effect of biofilms, 56
femal alloys, effect of ferrite in sodium chloride, 738
intergranular corrosion testing by constant potential etching, 463
irradiation effect on electrochemistry and corrosion resistance, 11
petroleum production equipment, galvanic couples, 482
type 304, intergranular cracking of irradiated thermally sensitized, 757
type 304, surface roughness and metastable pitting, 380
- Stannous chloride**
mild steel, role of hydrogen promoters on corrosion and hydrogenation, 537
- Steam generators**
alloy 600, effect of specimen thickness on cracking in high-temperature water, 376
alloy 600, effect of temperature and cold work on crack growth rate in primary water, 689
- Stearic acid**
carbon steel, as an inhibitor, 45
- Steel. See also Austenitic stainless steel; By type; By UNS number; Carbon steel; Duplex stainless steel; High-alloy steel; High-strength steel; Low-alloy steel; Martensitic stainless steel; Mild steel; Pipelines and line pipe steel; Precipitation hardenable stainless steel; Reinforcing steel; Stainless steel; Superferritic stainless steel**
18-8 stainless, effect of complex inclusions on pit initiation, 343
aluminum-coated in hydrogen sulfide, phase constitution of the iron-aluminum alloy layer, 234
cathodic protection of by electrodeposited zinc-nickel alloy coatings, 932
coated, evaluation of degradation using impedance spectroscopy, 97
gamma back-scattering technique, to monitor general corrosion in a circulating rig, 660
hydrogen-induced and hydrogen sulfide cracking in, monitoring, 301
pH, effect on inhibition by polyaspartic acid, 818
transpassive corrosion, effect of neutron irradiation on austenitic stainless, 651
underground corrosion, fuzzy clustering analysis to evaluate, 491
X-65, carbon dioxide corrosion, comparison of rotating cylinder and pipe flow tests, 773
- Stepwise corrosion and cracking. See also Corrosion; Cracking**
Al 7075, effect of sulfate ions in sodium chloride, 185
pipeline steel, solid-state potentiometric sensor for monitoring, 301
- Strain and strain rate**
alloy 600, effect of specimen thickness on cracking in high-temperature water, 376
alloy 600, effect of temperature and cold work on crack growth rate in primary water, 689
- Strauss test**
stainless steel, intergranular corrosion testing, 463
- Stress and stress intensity**
alloy 600, effect of specimen thickness on cracking in high-temperature water, 376
alloy 600, effect of temperature and cold work on crack growth rate in primary water, 689
austenitic stainless steel, galvanostatic, creviced stress corrosion test for, 171
inhibitors, protection by at the fatigue crack growth stage, 284
low-alloy steel, crack tip microsampling and growth rate in high-temperature, 223
nickel-aluminum bronze in seawater, 331
occluded cell corrosion, effect on inside stress corrosion cracks, 177
X-60 linepipe steel, stress corrosion cracking in carbonate-bicarbonate solution and, 91
- Stress corrosion cracking. See also Corrosion; Cracking**
activation energy, modeling of complex and poorly known physicochemical processes, 698
alloy 600, effect of specimen thickness on cracking in high-temperature water, 376
alloy 600, effect of temperature and cold work on crack growth rate in primary water, 689
alloy 718 and type 4340 steel, bismuth electroplating, 429
aluminum-lithium-copper alloys, preexposure phenomenon, 417
austenitic stainless steel, galvanostatic, creviced stress corrosion test for, 171
corrosion-resistant alloys, application limits, 239
iron-manganese-aluminum alloys, environment-assisted in sodium chloride, 399
occluded cell corrosion, effect of stress on, 177
pipeline surfaces, generation of environment for, 518
silver-silver chloride and mercury-calomel electrodes, effect of gamma radiation, 450
stainless steel, effect of nitrogen on, 911
type 304 stainless steel, in doped high-temperature water, 901
type 304 stainless steel, nickel ion irradiation, 11
type 316 steel, oxide films formed in normal and hydrogen water chemistries, 849
X-60 line pipe steel in carbonate-bicarbonate solution, 91
- Sulfate**
Al 7075, effect of on inhibition in sodium chloride, 185
type 304 stainless steel, stress corrosion cracking in doped high-temperature water and, 901
- Sulfide**
18-8 stainless steel, effect of complex inclusions on pit initiation, 343
aluminum, effect of hydrogen sulfide on commercially pure, 544, 631
copper strip corrosion, effect of elemental sulfur and mercaptans on, 558
- Sulfide stress cracking. See also Corrosion; Cracking**
type 1020 steel, effect of cold work in sour service, 30
- Sulfocarbamide**
type 304L stainless steel, in evaluating intergranular corrosion, 124
- Sulfur**
18-8 stainless steel, effect of complex inclusions on pit initiation, 343
copper strip corrosion, effect of elemental mercaptans and, 558
- steel, environmentally assisted cracking of low-alloy, 223
steel, metal dusting of low- and high-alloy, 711
type 304L stainless steel, thioacetamide as an activator in evaluating intergranular corrosion, 124
- Sulfuric acid and solutions**
alloy 600, electrochemical potentiokinetic reactivation test to evaluate, 441
aluminum-coated steel, phase constitution of the iron-aluminum alloy layer, 234
duplex stainless steel, dissolution mechanism in the active-passive transition range in, 571
duplex stainless steel, effect of γ phase on, 456
duplex stainless steel, effect of ruthenium on high-chromium, 312
mild steel, improving the inhibiting performance of dibenzyl sulfoxide on pickling, 593
stainless steel, effect of neutron irradiation on transpassive corrosion, 651
titanium, photocorrosion of passive films on in sulfuric acid, 206
type 304 stainless steel, nickel ion irradiation, 11
- Superconductors**
ceramic, advances in, 270
- Supercritical water oxidation. See Oxidation**
hazardous waste cleanup, 270
- Superferritic stainless steel. See also Stainless steel; Steel**
dissimilar metal crevice corrosion, 826
- Surface preparation and roughness**
Al 7075, effect of sulfate ions on inhibition in sodium chloride, 185
alloy 825, effect of chromium depletion on localized corrosion resistance, 618
copper, annealed and hard-drawn in soft tap water, 469
gamma back scattering technique to monitor in a circulating rig, 660
stainless steel, surface roughness and metastable pitting, 380
- Synergism**
dibenzyl sulfoxide, improving inhibiting performance on mild steel in sulfuric acid, 593
- T**
- Tafel extrapolation**
mild steel, determination of corrosion rate for in cooling water chemistries, 153
powder metallurgy iron, effect of coating time on electroless nickel-phosphorus coated, 581
- Tannins**
gallotannins, radical scavenging effect and anticorrosive properties, relation, 37
- Tap water. See also Water**
copper, corrosion of hard-drawn and annealed in soft tap water, 469
- Telluric acid**
carbon steel, conversion coatings for in the presence of, 67
- Tellurium**
carbon steel, conversion coatings for, 67
- Tellurium oxide. See also Oxides and oxide films**
carbon steel, conversion coatings for, 67
- Temkin isotherm**
5-benzylidene-1-methyl-2-methylthioimidazole-4-one for aluminum corrosion in acid solution, 436
- Temperature. See also High-temperature corrosion; High-temperature water**
17-4 precipitation-hardenable stainless steel, effect of applied potential on environmental cracking behavior, 498
activation energy and, modeling of complex physicochemical processes, 698
aluminum, in chloride solution containing carbon dioxide, bicarbonate, and copper ions, 544, 631

- aluminum, inhibition of acid corrosion with 5-benzylidene-1-methyl-2-methylthioimidazole-4-one, 436
- carbon dioxide corrosion, comparison of rotating cylinder and pipe flow tests, 773
- gamma back scattering technique to monitor general corrosion in a circulating rig, 660
- industrial boiler systems, colorimetric testing for ferrous and total iron, 797
- iron, L-methionine methyl ester hydrochloride, effect on efficiency as an inhibitor, 411
- mild steel, influence of quaternary amines on surface films, polarization resistance, and, 321
- pipeline steel, solid-state potentiometric sensor for monitoring hydrogen, 301
- pipeline surfaces, stress corrosion cracking and pH, 518
- stainless steel, crevice corrosion repassivation temperatures of highly alloyed, 750
- steel, effect of pH on inhibition by polyaspartic acid, 818
- thin films, effect, 270
- type 304 stainless steel, stress corrosion cracking in doped high-temperature water, 901
- type 4145 steel, susceptibility to fatigue in drilling muds, 941
- Tensile testing**
type 304 stainless steel, intergranular cracking of irradiated thermally sensitized, 757
- Testing. See Acceptance testing; Alternating current impedance spectroscopy; Analytical electron microscopy; Bent-beam testing; Colorimetric testing; Constant deflection testing; Constant extension rate testing; Constant load testing; Cyclic polarization testing; Cyclic voltammetry; Electrochemical impedance spectroscopy; Electrochemical measurements; Electrochemical potentiodynamic reactivation test; Electrochemical testing; Electron spin resonance; Energy dispersive x-ray analysis; Field testing; Fourier transform infrared spectroscopy; Galvanic testing; Galvanostatic testing; Hydrogen estimation testing; Immersion testing; Impedance measurements; Ion chromatography; Light interference microscopy; Linear sweep voltammetry; Local electrochemical impedance spectroscopy; Mercury porosimetry; Metalloscopy; Nondestructive testing; Optical microscopy; Permeation and permeation testing; Polarization testing; Potentiodynamic measurements; Potentiostatic testing; Scanning electron microscopy; Slow strain rate tensile testing; Tensile testing; Transmission electron microscopy; Voltammetric testing; Weight loss and testing; X-ray absorption near edge structure (XANES); X-ray analysis; X-ray diffraction**
- Thermal noise. See Electrochemical noise**
- Thermo-osmosis**
epoxy coatings, effect of porosity on resistance to cold-wall blistering, 861
- Thermodynamic behavior**
low-alloy steel, crack tip growth rate in high-temperature, 223
- stress, effect on occluded cell corrosion, 177
- Thermomechanical processing**
Al 7075, inhibition in sodium chloride, 185
- Thin films. See also Films and film formation**
high temperature, 270
- type 4340 and alloy 718 steel, bismuth electroplating, 429
- Thin-film alloys**
magnesium-yttrium alloys, corrosion resistance of nonequilibrium, 922
- Thioacetamide**
type 304L stainless steel, in evaluating intergranular corrosion, 124
- Thiol**
orthoaminothiophenol product, effect on nickel in sodium chloride, 788
- Thiourea**
Al 6063, organic compounds as inhibitors in deaerated carbonate solution, 811
- mild steel, inhibiting performance of dibenzyl sulfoxide on pickling, 593
- Threshold fluence. See also Fluence**
low-temperature annealing and irradiation-assisted stress corrosion cracking, 731
- type 304 stainless steel, intergranular cracking of irradiated thermally sensitized, 757
- Tin and tin alloys. See also Alloying**
cathodic poisons, role of hydrogen promoters on corrosion and hydrogenation, 537
- local electrochemical impedance spectroscopy to examine coating failure, 251
- Tin oxide. See also Oxides and oxide films**
chromium pretreatments, as replacements, 71
- Titanium and titanium alloys. See also Alloying**
18-8 stainless steel, effect of complex inclusions on pit initiation, 343
- occluded cell corrosion, effect of stress, 177
- photo corrosion of passive films on in sulfuric acid, 206
- Transfer resistance. See also Resistance**
18-8 stainless steel, effect of complex inclusions on pit initiation, 343
- faradaic impedance determination of an electrode reaction, 105
- Transgranular stress corrosion cracking. See also Corrosion; Cracking**
alloy 600, effect of cold work and temperature on crack growth rate in primary water, 689
- alloy 600, effect of specimen thickness on cracking in high-temperature water, 376
- iron-manganese-aluminum alloys, environment-assisted in sodium chloride, 399
- pipeline surfaces, generation of environments, 518
- Transients**
18-8 stainless steel, effect of complex inclusions on pit initiation, 343
- Transmission electron microscopy**
17-4 precipitation-hardenable stainless steel, effect of applied potential on environmental cracking behavior, 498
- type 304 stainless steel, intergranular cracking of irradiated thermally sensitized, 757
- type 316 steel, oxide films formed in normal and hydrogen water chemistries, 849
- Transpassive corrosion. See also Corrosion**
stainless steel, effect of neutron irradiation on transpassive corrosion of austenitic, 651
- Transpassive potential. See also Potential**
stainless steel, effect of neutron irradiation on transpassive corrosion of austenitic, 651
- Transportation environments**
chromium pretreatments, replacements on aluminum, 71
- Trapping**
18-8 stainless steel, effect of complex inclusions on pit initiation, 343
- Triamines**
modeling, nonlinear group contributions, 201
- Tubercles**
localized corrosion of mild steel under, 153
- Tubing**
gamma back-scattering technique, to monitor general corrosion in a circulating rig, 660
- Tunneling corrosion. See also Corrosion**
25% Cr-20% Ni-Nb stainless steel, tunneling corrosion mechanism in nitric acid, 507
- Two-phase alloys. See also Alloying**
ferritic alloys, effect of ferrite in sodium chloride, 738
- Type 1010 steel**
corrosion rate, determination of in cooling water chemistries, 153
- epoxy coatings, effect of porosity on resistance to cold-wall blistering, 861
- zinc phosphate as a primer for, 116
- Type 1020 steel**
galvanic couples, petroleum production equipment, 482
- sulfide stress cracking, effect of cold work, 30
- Type 2205 stainless steel**
corrosion-resistant alloys, application limits in sour service, 239
- dissolution mechanism in the active-to-passive transition range, 571
- duplex stainless steel, effect of ruthenium in sulfuric acid, 312
- Type 302 stainless steel**
electrochemical noise, corrosion monitoring based on mathematical modeling, 295
- Type 303 stainless steel**
18-8 stainless steel, effect of complex inclusions on pit initiation, 343
- Type 304 stainless steel**
18-8 stainless steel, effect of complex inclusions on pit initiation, 343
- alloying, effect on corrosion and passivation in dilute chloride solution, 3
- chromium and iron depletion, 11
- low-temperature annealing and irradiation-assisted stress corrosion cracking, 731
- galvanic couples, petroleum production equipment, 482
- galvanostatic, creviced stress corrosion test for in hot chloride solution, 171
- intergranular cracking of irradiated thermally sensitized in high-temperature water, 757
- nickel ion irradiation, surface electrochemistry and intergranular corrosion, 11
- oxide films formed in normal and hydrogen chemistries, 849
- stress corrosion cracking in doped high-temperature water, 901
- superferritic stainless steel, dissimilar metal crevice corrosion, 826
- surface roughness and metastable pitting, 380
- thioacetamide as an activator in evaluating intergranular corrosion, 124
- transpassive corrosion behavior, effect of neutron irradiation, 651
- Type 304L stainless steel**
25% Cr-20% Ni-Nb stainless steel, tunneling corrosion mechanism in nitric acid, 507
- austenitic stainless steel, effect of neutron irradiation on transpassive corrosion, 651
- intergranular corrosion, thioacetamide as an activator to evaluate susceptibility, 124
- Type 309 stainless steel**
cyclic oxidation plus carburization, 191
- Type 310 stainless steel**
25% Cr-20% Ni-Nb stainless steel, tunneling corrosion mechanism in nitric acid, 507
- cyclic oxidation plus carburization, 191
- Type 310Nb stainless steel**
25% Cr-20% Ni-Nb stainless steel, tunneling corrosion mechanism in nitric acid, 507
- Type 316 stainless steel**
Al 99.5 in chloride solution containing carbon dioxide, bicarbonate, and copper ions, 544, 631
- galvanic couples, petroleum production equipment, 482
- intergranular cracking of irradiated thermally sensitized in high-temperature water, 757
- oxide films formed in normal and hydrogen chemistries, 849
- superferritic stainless steel, dissimilar metal crevice corrosion, 826
- Type 316L stainless steel**
austenitic stainless steel, effect of neutron irradiation on transpassive corrosion, 651
- biofilms, effect on crevice corrosion in coastal seawater, 56
- corrosion-resistant alloys, application limits in sour service, 239
- galvanostatic, creviced stress corrosion test for in hot chloride solution, 171
- Type 317LM stainless steel**
biofilms, effect on crevice corrosion in coastal seawater, 56
- Type 321 stainless steel**
18-8 stainless steel, effect of complex inclusions on pit initiation, 343
- occluded cell corrosion, effect of stress, 177
- Type 347 stainless steel**
austenitic stainless steel, effect of neutron irradiation on transpassive corrosion, 651
- Type 40X steel**
fatigue crack growth, protection by inhibitors, 254

Type 410 stainless steel

galvanic couples, petroleum production equipment, 482

Type 4130 stainless steel

galvanic couples, petroleum production equipment, 482

Type 4145 steel

susceptibility to corrosion fatigue in drilling muds, 941

Type 4340 steel

bismuth electroplating to prevent hydrogen embrittlement, 429

galvanic couples, petroleum production equipment, 482

Type 904L stainless steel

biofilms, effect on crevice corrosion in coastal seawater, 56

stainless steel, intergranular corrosion testing by constant potential etching, 463

Type C1050 steel

adsorption of octadecyltrimethylbenzylammonium chloride using Raman spectroscopy, 892

U**Ultrasonic monitoring. See also Corrosion monitoring**

gamma back-scattering technique, to monitor general corrosion in a circulating rig, 660

Underdeposit corrosion. See also Corrosion

mild steel in cooling water chemistries, determination of, 153

Underground corrosion. See also Corrosion

fuzzy clustering analysis to evaluate soil, 491

Uniform corrosion. See also Corrosion

carbon steel in carbon dioxide-saturated solution containing hydrogen sulfide, 260
steel and aluminum, corrosion monitoring system based on electrochemical noise, 295

UNS A91100. See Al 1100

UNS A92014. See Al 2014

UNS A92024. See Al 2024

UNS A92090. See Al 2090

UNS A95754. See Al 5754

UNS A96013. See Al 6013

UNS A96063. See Al 6063

UNS A96082. See Al 6082

UNS A97075. See Al 7075

UNS C23000. See Red brass

UNS C61300. See Aluminum-bronze

UNS C95520

nickel-aluminum bronze, cavitation corrosion in seawater, 331

UNS G10080

electrochemical noise, corrosion monitoring based on mathematical modeling, 295

UNS G10100. See Type 1010 steel

UNS G10200. See Type 1020 steel

UNS G10500. See Type C1050 steel

UNS G41300. See Type 4130 stainless steel

UNS G41450. See Type 4145 steel

UNS G43400. See Type 4340 steel

UNS M18430. See Alloy WE43

UNS N06800. See Alloy 600

UNS N06601. See Alloy 601

UNS N06625

corrosion-resistant alloys, application limits in sour service, 239

UNS N07718. See Alloy 718

UNS N08330. See Alloy RA 330

UNS N08367. See Alloy 6XN

UNS N08800. See Alloy 800

UNS N08825. See Alloy 825

UNS N08904. See Type 904L stainless steel

UNS S17400. See 17-4 precipitation-

hardenable stainless steel

UNS S30200. See Type 302 stainless steel

UNS S30300. See Type 303 stainless steel

UNS S30400. See Type 304 stainless steel

UNS S30403. See Type 304L stainless steel

UNS S30415. See Alloy 153 MA

UNS S30615. See Alloy 253 MA

UNS S30608. See Type 309 stainless steel

UNS S31000. See Type 310 stainless steel

UNS S31008. See Type 310 stainless steel

UNS S31040

tunneling corrosion in nitric acid, 507

UNS S31254. See Alloy 254 SMO

UNS S31600. See Type 316 stainless steel

UNS S31603. See Type 316L stainless steel

UNS S31703

stainless steel, intergranular corrosion testing

by constant potential etching, 463

UNS S31725. See Type 317LM stainless steel

UNS S31803. See Type 2205 stainless steel

UNS S32100. See Type 321 stainless steel

UNS S32750

crevice corrosion repassivation temperatures,

750

UNS S34700. See Type 347 stainless steel

UNS S41000. See Type 410 stainless steel

UNS S44735

superferritic stainless steel, dissimilar metal

crevice corrosion, 826

Urea-formaldehyde

epoxy coatings, local electrochemical

impedance spectroscopy to examine failure,

251

Utilities

epoxy coatings, effect of porosity on resistance

to cold-wall blistering, 861

erosion and erosion-corrosion of metals in

energy generation systems, 872

V**Velocity**

carbon dioxide corrosion, comparison of rotating cylinder and pipe flow tests, 773

Vertex potential. See also Potential

potentiodynamic reactivation method, as a parameter in, 124

Voltametric testing

copper, influence of bicarbonate ions in

carbonate-bicarbonate buffers, 682

W**Waste. See Hazardous; Radioactive waste**

Water. See Aqueous environments; Aqueous solutions; Brine solutions; Cooling water; Feedwater; Fresh water; Ground water; High-purity water; High-temperature water; Primary water; Reactors; Salt water; Seawater; Supercritical water oxidation; Tap water

Water quality and treatment

steel, effect of pH on inhibition by polyaspartic acid, 818

Wavelength

zinc oxygen corrosion kinetics in neutral solution, under laser illumination, 672

Wear

duplex stainless steel, effect of γ phase on in sulfuric acid, 456

Weight loss and testing

aluminum alloys, effect of sulfate ions, 185

aluminum, inhibition of acid corrosion with 5-benzylidene-1-methyl-2-methylthio-

imidazole-4-one, 436

gamma back-scattering technique, to monitor general corrosion in a circulating rig, 660

metal-matrix composites, aluminum, 610

mild steel, role of hydrogen promoters on corrosion and hydrogenation, 537

petroleum production equipment, galvanic couples, 482

stainless steel, crevice corrosion in seawater, 56

Welding and weldments. See also Gas tungsten**arc welding**

aluminum-coated steel, corrosion of the alloy layer and weld zone in hydrogen sulfide, 234
coating failure, local electrochemical impedance spectroscopy to examine, 251

X**X-60 steel**

stress corrosion cracking in carbonate-bicarbonate solution, 91

X-65 steel

carbon dioxide corrosion, comparison of rotating cylinder and pipe flow tests, 773

X-ray absorption near-edge structure

carbon steel, to characterize tellurium-based conversion coatings, 67

X-ray analysis. See also Energy dispersive x-ray analysis

polyphenols, to study radical scavenging effect and anticorrosive properties, 37

X-ray diffraction

aluminum-coated steel, corrosion of the alloy layer and welding zone, 234

aluminum-lithium-copper alloys, rapid cracking preexposure phenomenon, 417

heat-resistant alloys, cyclic oxidation plus carburization, 191

magnesium-yttrium alloys, corrosion resistance of nonequilibrium, 922

X-ray photoelectron spectroscopy

magnesium-yttrium alloys, corrosion resistance of nonequilibrium, 922

zinc oxygen corrosion kinetics in neutral solution, under laser illumination, 672

Y**Yttrium and yttrium alloys. See also Alloying**

magnesium-yttrium alloys, corrosion resistance of nonequilibrium, 922

Z**Zero resistance ammeter**

petroleum production equipment, galvanic couples, 482

Zinc and zinc alloys. See also Alloying

anodes, laboratory performance for impressed current cathodic protection of reinforced concrete, 639

faradaic impedance determination of an electrode reaction, 105

imidazole derivatives as inhibitors for in hydrochloric acid, 767

lubricants and type 4145 steel, corrosion fatigue in drilling muds and, 941

reinforced concrete, zinc wire as a sacrificial anode, 679

steel, cathodic protection of by electrodeposited zinc-nickel alloy coatings, 932

zinc oxygen corrosion kinetics in neutral

solution, under laser illumination, 672

Zinc chloride

zinc anodes, laboratory performance for

impressed current cathodic protection of

reinforced concrete, 639

zinc monocrystals, pitting corrosion of

passivated, 356

Zinc chromate

zinc phosphate, as a replacement for, 116

Zinc oxide. See also Oxides and oxide films

zinc oxygen corrosion kinetics under laser

illumination, 672

Zinc phosphate

primers, for steel, 116

Zirconium and zirconium alloys. See also**Alloying**

formation and dissolution of the anodic oxide

film in alcohol solutions, 744

